

# ENCLOSED CARGO

4'x6' – 8.5'x20'



4'x6' – 5'x10'

## STANDARD FEATURES

- › All Aluminum Construction
- › 16" O/C Wall & Roof Studs
- › 24" O/C Floor Crossmembers
- › 2"x3" Subframe Tubing
- › V-Nose Construction
- › Dexter Torsion Ride Axles
- › Exterior LED Lighting
- › Smooth .030" Bonded Side Panels
- › One-Piece Aluminum Roof
- › Roof Vent
- › Interior LED Lighting
- › 3/8" Water Resistant Walls
- › 5/8" Water Resistant Decking (4' & 5' Wide)
- › Single Barn Door (4' Wide Only)
- › Double Barn Doors (5' Wide)
- › 24" Stone Guard
- › 2000# Center Jack
- › Safety Chains
- › 2" Coupler
- › Limited Lifetime Warranty

## STANDARD SPECIFICATIONS

TRAILER MODEL	4x6	5x8	5x10
Model Number	C4x6-IF	C5x8-IF	C5x10-IF
Box (WxLxH)	50"x6"x60"	60"x8"x66"	60"x10"x66"
Interior (WxLxH)	47"x5'10"x58"	57"x7'10"x64"	57"x9'10"x64"
Overall (WxLxH)	72"x10'x72"	82"x12'8"x78"	82"x14'8"x78"
Deck Height	12"	13"	13"
Hitch Height	11"	12"	12"
Rear Door Opening (WxH)	42"x54"	52"x60"	52"x60"
Axle(s) - Qty/Rating	1-2200# Idler	1-3500# Idler	1-3500# Idler
Wheels	13" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	175/80R13	205/75R15	205/75R15
GVWR	2200#	2990#	2990#
Curb Weight	650#	875#	950#
Payload	1550#	2115#	2040#
V-Nose	24"	28"	28"
Coupler Rating/Ball Size	3500# / 2"	3500# / 2"	3500# / 2"
Power Connection	4-Way Flat	4-Way Flat	4-Way Flat

## OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" to Box Height
Add 6" to Box Height
Add 9" to Box Height
Upgrade to 16" O/C Floor Studs (From 24" O/C; PBF)
EXTERIOR OPTIONS
Two Tone Color Package w/6" Anodized Divider
Upgrade to 36" Stone Guard (From 24"; V-Nose)
RAMP OPTIONS
Upgrade to Rear Ramp Door w/Spring Assist & Starter Flap (From Barn Door)
DOORS/WINDOWS/VENTS
32"x58" Side Access Door w/Paddle Handle and Piano Hinge
12V LIGHTING & ELECTRICAL OPTIONS
Recessed LED Puck Light Package (Interior): (8) Round LED Flush Mount Dome Lights, (1) 12V Wall Switch

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 15" Silver Mod (Radial; From 13" Silver Mod Wheels; Includes Fender Upgrade)
Upgrade to 13" Aluminum (Radial; From 13" Silver Mod Wheels)
Upgrade to 15" Aluminum Wheels (Radial; From 15" 205 Silver Mod Radial)
Spare 15" Silver Mod Wheel w/205/75R15 Tire
Spare 15" Aluminum Wheel w/205/75R15 Tire
Spare 13" Silver Mod Wheel w/175/80R13 Tire
Spare 13" Aluminum Wheel w/175/80R13 Tire
Bolt-On Spare Tire Carrier (Tongue-Mounted)
TIE-DOWN OPTIONS
5000# Recessed Heavy Duty D-Ring w/Backing Plate (Installed)
Zinc 6000# Recessed Swivel D-Ring w/Backing Plate (Installed)

## COLOR OPTIONS

Windstar Silver	Flat Black	Crystal White
Indigo Blue	Penske Yellow	Forest Green
Orange	Charcoal	Pewter Metallic
Victory Red	Champagne	Brandywine



# ENCLOSED CARGO

4'x6' – 8.5'x20' CONTINUED

## 6'x10' – 6'x12' TA

### STANDARD FEATURES

- > All Aluminum Construction
- > 16" O/C Wall & Roof Studs
- > 24" O/C Floor Crossmembers
- > 2"x3" Subframe Tubing
- > Sloped V-Nose Construction
- > Dexter Torsion Ride Axles
- > Exterior LED Lighting
- > Smooth .030" Bonded Side Panels
- > One-Piece Aluminum Roof
- > Roof Vent
- > Interior LED Lighting
- > 3/8" Water Resistant Walls
- > 3/4" Water Resistant Decking
- > Double Barn Doors
- > 24" Stone Guard
- > 2000# Center Jack
- > Safety Chains
- > 32"x66" Side Door
- > Limited Lifetime Warranty

### STANDARD SPECIFICATIONS

TRAILER MODEL	6x10	6x12 SA	6x12 TA
Model Number	C6x10-IF	C6x12SA-IF	C6x12TA-IF
Box (WxLxH)	72"x10'x78"	72"x12'x78"	72"x12'x78"
Interior (WxLxH)	69"x9'10"x76"	69"x11'10"x76"	69"x11'10"x76"
Overall (WxLxH)	94"x15'7"x90"	94"x17'7"x90"	94"x19'7"x90"
Deck Height	13"	13"	13"
Hitch Height	12"	12"	12"
Rear Door Opening (WxH)	64"x72"	64"x72"	64"x72"
Axle(s) - Qty/Rating	1-3500# Idler	1-3500# Idler	2-3500# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	205/75R15
GVWR	2990#	2990#	7000#
Curb Weight	1120#	1300#	1450#
Payload	1870#	1690#	5550#
V-Nose	38-1/2"	38-1/2"	38-1/2"
Coupler Rating/Ball Size	8000# / 2"	8000# / 2"	8000# / 2"
Power Connection	4-Way Flat	4-Way Flat	7-Way Round

### OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" to Box Height
Add 6" to Box Height
Add 9" to Box Height
Upgrade to 16" O/C Floor Studs (From 24" O/C; PBF)
EXTERIOR OPTIONS
Two Tone Color Package w/6" Anodized Divider
Upgrade to 36" Stone Guard (From 24"; V-Nose)
INTERIOR OPTIONS
Upgrade to White Vinyl Backed Luan Walls w/Divider (From 3/8" WR)
White Vinyl Backed Luan Ceiling
AXLE OPTIONS
Upgrade to 1-3K Torsion Braked Axle (From 1-3K Torsion Idler)
RAMP OPTIONS
Upgrade to Rear Ramp Door w/Spring Assist & Starter Flap (From Barn Door)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 15" Aluminum Wheels (Radial; From 15" 205 Silver Mod Radial)
Spare 15" Silver Mod Wheel w/205/75R15 Tire
Spare 15" Aluminum Wheel w/205/75R15 Tire
2024 Interior Elevated Spare Tire Mount (Universal Fitment)
TIE-DOWN OPTIONS
5000# Recessed Heavy Duty D-Ring w/Backing Plate (Installed)
Stainless Steel 6000# Recessed Swivel D-Ring w/Backing Plate (Installed)
12V LIGHTING & ELECTRICAL OPTIONS
LED Scare Light (Porch Light) w/12V Wall Switch
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)
Recessed LED Puck Light Package (Interior): (8) Round LED Flush Mount Dome Lights, (1) 12V Wall Switch
DOORS/WINDOWS/VENTS
Upgrade to 32"x72" Paddle Handle & Piano Hinge Side Access Door (From 66")

### COLOR OPTIONS

Windstar Silver	Flat Black	Crystal White
Indigo Blue	Penske Yellow	Forest Green
Orange	Charcoal	Pewter Metallic
Victory Red	Champagne	Brandywine



# ENCLOSED CARGO

4'x6' – 8.5'x20' CONTINUED

## 7'x12' TA – 7'x20'

### STANDARD FEATURES

- > All Aluminum Construction
- > 16" O.C Wall & Roof Studs
- > 24" O/C Floor Crossmembers
- > 2"x5" Subframe Tubing
- > Sloped V-Nose Construction
- > Dexter Torsion Ride Axles
- > Exterior LED Lighting
- > Smooth .030" Bonded Side Panels
- > One-Piece Aluminum Roof
- > Roof Vent
- > Interior LED Lighting
- > 3/8" Water Resistant Walls
- > 3/4" Water Resistant Decking
- > Double Barn Doors
- > 24" Stone Guard
- > 2000# Center Jack
- > Safety Chains
- > A-Frame Coupler
- > 32"x66" Side Door
- > Limited Lifetime Warranty

### STANDARD SPECIFICATIONS

TRAILER MODEL	7x12 TA	7x14	7x16	7x18	7x20
Model Number	C7x12TA-IF	C7x14-IF	C7x16-IF	C7x18-IF	C7x20-IF
Box (WxLxH)	84"x12"x78"	84"x14"x78"	84"x16"x78"	84"x18"x78"	84"x20"x78"
Interior (WxLxH)	81"x11'10"x76"	81"x13'10"x76"	81"x15'10"x76"	81"x17'10"x76"	81"x19'10"x76"
Overall (WxLxH)	102"x17'10"x90"	102"x19'10"x90"	102"x21'10"x90"	102"x23'10"x90"	102"x23'10"x90"
Deck Height	13"	13"	13"	13"	13"
Hitch Height	12"	12"	12"	12"	12"
Rear Door Opening (WxH)	76"x72"	76"x72"	76"x72"	76"x72"	76"x72"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	7000#	7000#	7000#	7000#	7000#
Curb Weight	1450#	1750#	1900#	2075#	2275#
Payload	5550#	5250#	5100#	4925#	4725#
V-Nose	60"	60"	60"	60"	60"
Coupler Rating/Ball Size	14000# / 2-5/16"	14000# / 2-5/16"	14000# / 2-5/16"	14000# / 2-5/16"	14000# / 2-5/16"
Power Connection	7-Way Round	7-Way Round	7-Way Round	7-Way Round	7-Way Round

### OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" to Box Height
Add 6" to Box Height
Add 9" to Box Height
Upgrade to 16" O/C Floor Studs (From 24" O/C; PBF)
EXTERIOR OPTIONS
Two Tone Color Package w/6" Anodized Divider
Upgrade to 36" Stone Guard (From 24"; V-Nose)
INTERIOR OPTIONS
Upgrade to White Vinyl Backed Luan Walls w/Divider (From 3/8" WR)
White Vinyl Backed Luan Ceiling
AXLE OPTIONS
Upgrade to 2-5K Torsion Braked Axles & Frame (From 2-3K Braked; Includes Axle Carrier Upgrade, 16" O/C Floor Stud Upgrade, & Upgrade to 15" 225 6-Lug Tires)
RAMP OPTIONS
Rear Stowable Ramp Kit: (2) 26"x6' Ramps (Stow Inside Barn Doors), Extrusion to Hook Ramps Onto, (2) Extra Strap Hinges to Each Barn Door, Ramp Lock Extrusion Full Width Each Ramp/Both Ends
Upgrade to Rear Ramp Door w/Spring Assist & Starter Flap (From Barn Door)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 15" Aluminum Wheels (Radial; From 15" 205 Silvermod Radial)
Spare 15" Silver Mod Wheel w/205/75R15 Tire
Spare 15" Aluminum Wheel w/205/75R15 Tire
2024 Interior Elevated Spare Tire Mount (Universal Fitment)
TIE-DOWN OPTIONS
5000# Recessed Heavy Duty D-Ring w/Backing Plate (Installed)
Zinc 6000# Recessed Swivel D-Ring w/Backing Plate (Installed)
12V LIGHTING & ELECTRICAL OPTIONS
LED Scare Light (Porch Light) w/12V Wall Switch
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)
Recessed LED Puck Light Package (Interior): (8) Round LED Flush Mount Dome Lights, (1) 12V Wall Switch
DOORS/WINDOWS/VENTS
Upgrade to 32"x72" Paddle Handle & Piano Hinge Side Access Door (From 66")

### COLOR OPTIONS

Windstar Silver	Flat Black	Crystal White
Indigo Blue	Penske Yellow	Forest Green
Orange	Charcoal	Pewter Metallic
Victory Red	Champagne	Brandywine



# ENCLOSED CARGO

4'x6' – 8.5'x20' CONTINUED

## 7.5'x12' – 7.5'x20'

### STANDARD FEATURES

- > All Aluminum Construction
- > 16" O.C Wall & Roof Studs
- > 24" O/C Floor Crossmembers
- > 2"x5" Subframe Tubing
- > Sloped V-Nose Construction
- > Dexter Torsion Ride Axles
- > Exterior LED Lighting
- > Smooth .030" Bonded Side Panels
- > One-Piece Aluminum Roof
- > Roof Vent
- > Interior LED Lighting
- > 3/8" Water Resistant Walls
- > 3/4" Water Resistant Decking
- > Double Barn Doors
- > 24" Stone Guard
- > 2000# Center Jack
- > Safety Chains
- > A-Frame Coupler
- > 32"x66" Side Door
- > Limited Lifetime Warranty

### STANDARD SPECIFICATIONS

TRAILER MODEL	7.5x12 TA	7.5x14	7.5x16	7.5x18	7.5x20
Model Number	C7.5x12TA-IF	C7.5x14-IF	C7.5x16-IF	C7.5x18-IF	C7.5x20-IF
Box (WxLxH)	90"x12"x78"	90"x14"x78"	90"x16"x78"	90"x18"x78"	90"x20"x78"
Interior (WxLxH)	87"x11'10"x76"	87"x13'10"x76"	87"x15'10"x76"	87"x17'10"x76"	87"x19'10"x76"
Overall (WxLxH)	102"x17'10"x90"	102"x19'10"x90"	102"x21'10"x90"	102"x23'10"x90"	102"x23'10"x90"
Deck Height	13"	13"	13"	13"	13"
Hitch Height	12"	12"	12"	12"	12"
Rear Door Opening (WxH)	80"x72"	80"x72"	80"x72"	80"x72"	80"x72"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	7000#	7000#	7000#	7000#	7000#
Curb Weight	1450#	1750#	1900#	2075#	2275#
Payload	5550#	5250#	5100#	4925#	4725#
V-Nose	60"	60"	60"	60"	60"
Coupler Rating/Ball Size	14000# / 2-5/16"	14000# / 2-5/16"	14000# / 2-5/16"	14000# / 2-5/16"	14000# / 2-5/16"
Power Connection	7-Way Round	7-Way Round	7-Way Round	7-Way Round	7-Way Round

### OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" to Box Height
Add 6" to Box Height
Add 9" to Box Height
Upgrade to 16" O/C Floor Studs (From 24" O/C; PBF)
EXTERIOR OPTIONS
Two Tone Color Package w/6" Anodized Divider
Upgrade to 36" Stone Guard (From 24"; V-Nose)
INTERIOR OPTIONS
Upgrade to White Vinyl Backed Luan Walls w/Divider (From 3/8" WR)
White Vinyl Backed Luan Ceiling
AXLE OPTIONS
Upgrade to 2-5K Torsion Braked Axles & Frame (From 2-3K Braked; Includes Axle Carrier Upgrade, 16" O/C Floor Stud Upgrade, & Upgrade to 15" 225 6-Lug Tires)
RAMP OPTIONS
Rear Stowable Ramp Kit: (2) 26"x6' Ramps (Stow Inside Barn Doors), Extrusion to Hook Ramps Onto, (2) Extra Strap Hinges to Each Barn Door, Ramp Lock Extrusion Full Width Each Ramp/Both Ends
Upgrade to Rear Ramp Door w/Spring Assist & Starter Flap (From Barn Door)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 15" Aluminum Wheels (Radial; From 15" 205 Silvermod Radial)
Spare 15" Silver Mod Wheel w/205/75R15 Tire
Spare 15" Aluminum Wheel w/205/75R15 Tire
2024 Interior Elevated Spare Tire Mount (Universal Fitment)
TIE-DOWN OPTIONS
5000# Recessed Heavy Duty D-Ring w/Backing Plate (Installed)
Zinc 6000# Recessed Swivel D-Ring w/Backing Plate (Installed)
12V LIGHTING & ELECTRICAL OPTIONS
LED Scare Light (Porch Light) w/12V Wall Switch
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)
Recessed LED Puck Light Package (Interior): (8) Round LED Flush Mount Dome Lights, (1) 12V Wall Switch
DOORS/WINDOWS/VENTS
Upgrade to 32"x72" Paddle Handle & Piano Hinge Side Access Door (From 66")

### COLOR OPTIONS

Windstar Silver	Flat Black	Crystal White
Indigo Blue	Penske Yellow	Forest Green
Orange	Charcoal	Pewter Metallic
Victory Red	Champagne	Brandywine



# ENCLOSED CARGO

4'x6' – 8.5'x20' CONTINUED

## 8.5'x12' – 8.5'x20'

### STANDARD FEATURES

- > All Aluminum Construction
- > 16" O/C Wall & Roof Studs
- > 24" O/C Floor Crossmembers
- > 2"x5" Subframe Tubing
- > A-Frame Tongue
- > Dexter Torsion Ride Axles
- > 2000# Center Jack
- > Safety Chains
- > Sloped V-Nose Construction
- > Double Barn Doors
- > One-Piece Aluminum Roof
- > Smooth .030" Bonded Side Panels
- > Polished Aluminum Fenders
- > 32"x66" Side Door
- > Roof Vent
- > 24" Stone Guard
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Walls
- > (3) Interior LED Dome Lights w/Switch
- > Limited Lifetime Warranty

### STANDARD SPECIFICATIONS

TRAILER MODEL	8.5x12	8.5x14	8.5x16	8.5x18	8.5x20
Model Number	C8.5x12CARGO-IF	C8.5x14CARGO-IF	C8.5x16CARGO-IF	C8.5x18CARGO-IF	C8.5x20CARGO-IF
Box (WxLxH)	99"x12"x78"	99"x14"x78"	99"x16"x78"	99"x18"x78"	99"x20"x78"
Interior (WxLxH)	96"x11'10"x76"	96"x13'10"x76"	96"x15'10"x76"	96"x17'10"x76"	96"x19'10"x76"
Overall (WxLxH)	102"x18'8"x92"	102"x20'8"x92"	102"x22'8"x92"	102"x24'8"x92"	102"x26'8"x92"
Deck Height	15"	15"	15"	15"	15"
Hitch Height	14"	14"	14"	14"	14"
Rear Door Opening (WxH)	89"x72"	89"x72"	89"x72"	89"x72"	89"x72"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked
Wheels	15" Silver Mods	15" Silver Mods	15" Silver Mods	15" Silver Mods	15" Silver Mods
Tires	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	7000#	7000#	7000#	7000#	7000#
Curb Weight	1850#	1950#	2050#	2275#	2475#
Payload	5150#	5050#	4950#	4725#	4525#
V-Nose	53"	53"	53"	53"	53"
Coupler Rating/Ball Size	15000# / 2-5/16"	15000# / 2-5/16"	15000# / 2-5/16"	15000# / 2-5/16"	15000# / 2-5/16"
Power Connection	7-Way Round	7-Way Round	7-Way Round	7-Way Round	7-Way Round

### OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" to Box Height
Add 6" to Box Height
Add 9" to Box Height
Upgrade to 16" O/C Floor Studs (From 24" O/C; PBF)
EXTERIOR OPTIONS
Two Tone Color Package w/6" Anodized Divider
Upgrade to 36" Stone Guard (From 24"; V-Nose)
INTERIOR OPTIONS
Upgrade to White Vinyl Backed Luan Walls w/Divider (From 3/8" WR)
White Vinyl Backed Luan Ceiling
AXLE OPTIONS
Upgrade to 2-5K Torsion Braked Axles & Frame (From 2-3K Braked; Includes Axle Carrier Upgrade, 16" O/C Floor Stud Upgrade, & Upgrade to 15" 225 6-Lug Tires)
RAMP OPTIONS
Upgrade to Rear Ramp Door w/Spring Assist & Starter Flap (From Barn Door)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 15" Aluminum Wheels (Radial; From 15" 205 Silvermod Radial)
Spare 15" Silver Mod Wheel w/205/75R15 Tire
Spare 15" Aluminum Wheel w/205/75R15 Tire
2024 Interior Elevated Spare Tire Mount (Universal Fitment)
TIE-DOWN OPTIONS
5000# Recessed Heavy Duty D-Ring w/Backing Plate (Installed)
Zinc 6000# Recessed Swivel D-Ring w/Backing Plate (Installed)
12V LIGHTING & ELECTRICAL OPTIONS
LED Scare Light (Porch Light) w/12V Wall Switch
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)
Recessed LED Puck Light Package (Interior): (8) Round LED Flush Mount Dome Lights, (1) 12V Wall Switch
DOORS/WINDOWS/VENTS
Upgrade to 32"x72" Paddle Handle & Piano Hinge Side Access Door (From 66")

### COLOR OPTIONS

Windstar Silver	Flat Black	Crystal White
Indigo Blue	Penske Yellow	Forest Green
Orange	Charcoal	Pewter Metallic
Victory Red	Champagne	Brandywine





# ENCLOSED CARGO POPULAR OPTIONS

## CONSTRUCTION OPTIONS

CONSTRUCTION OPTIONS
Flat Front Construction
Cast Polished Corners for Flat Front
Upgrade to Radius Roof Construction (Up to 30'; Not Available w/Sloped V-Nose, Cast Corners, & Rear Canopies)
2' Round Nose w/Anodized Nose Cone
Add Slope in V-Nose
3" Extra Height
6" Extra Height
9" Extra Height
12" Extra Height
15" Extra Height (Requires .080" Wall Stud Upgrade & HD Rear Ramp)
18" Extra Height (Requires HD Ramp or Barn Door & .080" Wall Stud Upgrade)
21" Extra Height (Requires .080" Wall Stud Upgrade & HD Rear Ramp)
24" Extra Height (Requires HD Ramp or Barn Door & .080" Wall Stud Upgrade)
Height Decrease 6"
Height Decrease 12"
Additional Length in 2' Intervals (6' Wide)
Additional Length in 2' Intervals (7' Wide)
Additional Length in 2' Intervals (7.5' Wide)
Additional Length in 2' Intervals (8.5' Wide)
Upgrade Trailer Sub Frame to 2"x8" (From 2"x6"; PBF; for Cargo Models Going to 12K GVWR Axles+)
Add Beavertail w/Extra High Door (6' & Wider; 16' & Longer)
Reverse Beavertail Construction (6' & Wider)
12" Extended Tongue (For 3K Tandem Axle Enclosed with 2"x5" Frame; Includes Center Beam Upgrade)
16" Extended Tongue (For 5K Tandem Axle Enclosed; Requires 2"x6" Frame or Larger)

## DOORS, RAMPS, & COMPARTMENTS

DOORS, RAMPS, & COMPARTMENTS
26"x58" Side Access Door w/Paddle Handle and Piano Hinge
32"x58" Side Access Door w/Paddle Handle and Piano Hinge
32"x66" Side Access Door w/Paddle Handle and Piano Hinge
32"x72" Side Access Door w/Paddle Handle and Piano Hinge
32"x72" Radius RV Door w/Screen (Window Optional)
Upgrade to 32"x72" Side Access Door w/Paddle Handle and Piano Hinge (From 66")
Upgrade to Dexter 32"x72" Radius Door (From 32"x72" Piano Hinge Door)
Upgrade to 32"x72" Radius RV Door w/Screen & Optional Window (From Standard 32"x72" Side Access Door)
Upgrade to 36" Wide Side Access Door (From 32")
Upgrade to 48" Wide Side Access Door (From 32")

## CONSTRUCTION OPTIONS (CONTINUED)

Upgrade to Triple Tube Tongue (Enclosed Cargo)
Upgrade to 2-5/16" A-Frame Coupler (From 2" A-Frame Coupler)
Upgrade to 3" Adjustable 2-5/16" A-Frame Coupler
Upgrade to 8000# Pedestal Jack (From Wheel or Center Jack)
Upgrade to 10000# Pedestal Jack (From Wheel or Center Jack)
Upgrade to 5000# Center-Mount Wheel Jack (From 1500# Wheel Jack or 2000# Center Jack)
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF)
Upgrade Wall Studs to 2"x2" (PBF)
Upgrade to .080" Wall Studs
Upgrade Ceiling Studs to 2"x2" (PBF)
Walk-On Roof (Reinforced; PBF)
Heavy Duty Winch Mount (Winch Not Included)
8' Platform Roof w/Ladder & Rail Kit
10' Catwalk (Includes Ladder to Roof & 3 Ladder Racks)
12' Catwalk (Includes Ladder to Roof & 3 Ladder Racks)
14' Catwalk (Includes Ladder to Roof & 4 Ladder Racks)
16' Catwalk (Includes Ladder to Roof & 4 Ladder Racks)
18' Catwalk (Includes Ladder to Roof & 5 Ladder Racks)
20' Catwalk (Includes Ladder to Roof & 6 Ladder Racks)
Ladder to Roof (Outside V-Nose)
Upgrade to Roller on Rear Ladder Rack
Ladder Racks
Rear Canopy Loading Light System (2013 Version; Not Available w/Radius Roof)
Rear Canopy Loading Light System (2020 Version; Not Available w/Radius Roof)

## DOORS, RAMPS, & COMPARTMENTS (CONTINUED)

48"x72" Split Side Access Door(s)
Upgrade to 48"x72" Split Side Access Doors (From 32"x72" Side Access Door)
Upgrade to 78" Height Side Access Door (From 72"; Excludes Radius RV Door)
Upgrade to Rear Ramp Door w/Spring Assist & Starter Flap (From Barn Door)
Upgrade to Car-Hauler Grade Rear Ramp (From Standard Ramp)
Diamond Plate Transition Flap (Ramp to Box)
Aluminum Starter Flap to Rear Ramp
Barn Doors on Side of Trailer (74"W x 72"H)
Ramp Door w/Spring Assist on Side of Trailer (74"W x 72"H)
Generator Door (30"x30") w/Salem Vent & Paddle Handle (Lockable)
Generator Door (36"x36") w/Salem Vent & Paddle Handle (Lockable)



# ENCLOSED CARGO POPULAR OPTIONS CONTINUED

## DOORS, RAMPS, & COMPARTMENTS CONTINUED

DOORS, RAMPS, & COMPARTMENTS
Generator Compartment (30"Hx30"Wx24"D); Door Optional
Generator Compartment (36"Hx36"Wx24"D); Door Optional
Slide-Out Generator Tray
Upgrade to Insulated Generator Compartment (Requires Generator Compartment)
Propane Compartment (30"H x 30"W x 24"D) w/Vented Non-Locking Door
Propane Compartment (36"H x 36"W x 24"D) w/Vented Non-Locking Door
14"x14" Fuel Door w/Paddle Handle
24"x24" Fuel Door w/Paddle Handle
Concession Door 4'x4'
Concession Door 4'x6'
Concession Door 4'x8'
Escape Door 4'x4' (Driver's Side Over Wheel Well)
30"x30" Hatch Door
RV-Style Pull-Out Step (Steel)
Aluminum Fold-Down Step
Powder Coated Aluminum Flip-Down Step

## EXTERIOR OPTIONS

EXTERIOR OPTIONS
.040" Skin Upgrade (Black, White, & Silver Only)
.050" Skin Upgrade (Black & White Only)
Upgrade to .078" PolyCOR Exterior Skin (Available in Black, White, Charcoal & Silver)
Anodized Aluminum Side & Rear Trim Panel (12"; PBF)
Aluminum Diamond Plate Side & Rear Trim Panel (12"; PBF)
Anodized Aluminum Side & Rear Trim Panel (24"; PBF)
Aluminum Diamond Plate Side & Rear Trim Panel (24"; PBF)

## INTERIOR OPTIONS

INTERIOR OPTIONS
Upgrade to Anodized Nose Cone
Add Red & White DOT Tape to Trailer (PLF; Required on Any Trailer Over 10,000lb GVWR)
Upgrade to Translucent Roofing (From Mill-Finish Aluminum; PBF)
White .030" Aluminum Side Walls (Bonded)
White .030" Aluminum Side Walls (Screwed)
White .030" Aluminum Ceiling (Bonded)
White .030" Aluminum Ceiling (Screwed)
White Vinyl Backed Luan (Ceiling Only; PBF)
Upgrade to 3/8" Plywood Walls (From 3/8" Water Resistant; May Extend Lead Time)
Upgrade to White Vinyl Faced Luan Walls (From 3/8" Water Resistant)
Upgrade to White Vinyl Backed 3/8" Plywood (From 3/8" Water Resistant; PBF)

DOORS, RAMPS, & COMPARTMENTS (CONTINUED)
Aluminum Pull-Out Step
Aluminum Loop Step Stationary
Rear Full Length Step Across Rear of Trailer (12" Deep w/Expanded Aluminum on Top; Barn Doors Only)
Aluminum Grab Handle For Side Access Door
Keyed Locking Hasps for Rear Ramp
Upgrade to L-Latches/Freezer Latches (Per Ramp; Replaces Locking Bars; Premium Models w/CH Grade Rear Ramp Only)
Locking Bar for Side Access Door
Keyed Locking Hasps for Side Door Locking Bar
Upgrade to Full Piano Hinge For Rear Ramp
Upgrade to Full Piano Hinge For Side Access Door
Rear Door Air Curtain
Pull-Down Screen for Rear Door Opening
Pop-Out Tent Bed (60"H x 80"L Rough Opening)
Keyless Entry System (For Side Access Door)
Rear Stowable Ramp Kit: (2) 26"x6' Ramps, (4) Extra Strap Hinges; Extrusion to Hook Ramps (Ramps to Stow Interior of Barn Doors)

EXTERIOR OPTIONS (CONTINUED)
Upgrade to Larger 7" Bottom Trim (PBF)
Upgrade to 36" Stone Guard (From 24")
Upgrade to 48" Stone Guard (From 24")
Two-Tone Color Package w/No Anodized Divider
Two-Tone Color w/6" Anodized Divider
Two-Tone Color w/12" Anodized Divider
Two-Tone Color w/24" Anodized Divider

INTERIOR OPTIONS (CONTINUED)
Upgrade to 3/8" Water Resistant Walls (Cargo Trailers; From White Luan Walls; PBF)
Upgrade to 3/8" Plywood Walls (Cargo Trailers; From White Luan Walls; PBF)
Upgrade to 1/2" Plywood Walls (Cargo Trailers; PBF)
3/4" Foam Insulation (Side Walls; PBF)
3/4" Foam Insulation (Ceiling; Liner Required)
2" Foam Insulation (Ceiling Only; PBF)
.030" Aluminum Cove (All Colors)
Anodized Roof Coves
Anodized Spring Cover
Diamond Plate Spring Cover
.030" Aluminum Spring Assist Cover for 4/5-Wide Rear Ramp Door



# ENCLOSED CARGO POPULAR OPTIONS CONTINUED

## INTERIOR OPTIONS CONTINUED

INTERIOR OPTIONS
.030" Aluminum Spring Assist Cover for Rear Ramp Door
Partition Wall w/32" Access Door
Diamond Plate Kick Plate (6")
Diamond Plate Kick Plate (12")
Diamond Plate Kick Plate (24")

INTERIOR OPTIONS (CONTINUED)
Water Resistant Kick Plate (12")
Extruded Aluminum Kick Plate (6")
Carpet on Walls (Charcoal; 3' Up Wall; 4' for V-Nose)
Upgrade to Black TPO Coin Walls (3' Up Wall; 4' for V-Nose; PLF)

## FLOORING

FLOORING
Upgrade to 3/4" Water Resistant Decking (From 5/8" Water Resistant Decking; PBF)
Upgrade to 3/4" Pressure Treated Plywood (From 3/4" Water Resistant Decking)
Upgrade to 3/4" Quad Ply Decking (Non-Skid Surface, FRP Backer; PBF)
Additional Layer of 3/4" Water Resistant Decking
Upgrade to Extruded Aluminum Floor (Charge for Ramp & V-Nose; PLF)
Aluminum Diamond Plate Floor Overlay (.045"; PLF)
Upgrade to Black Marble Vinyl Flooring (PLF)
Upgrade to Checkerboard Vinyl Flooring (Black & White; PLF)

FLOORING (CONTINUED)
Painted Epoxy Floor Covering (PBF)
Upgrade to Rubber Coin Flooring (Black; PLF)
Upgrade to TPO Coin Flooring (Black)
Upgrade to Extruded Aluminum Floor from Rubber TPO Floor (Charge for Ramp & V-Nose; Include Starter Flap if Ordered; PLF)
Upgrade to Charcoal Carpet Flooring (PLF)
Upgrade to 3/4" Foam Insulated Floor
Aluminum Diamond Plate Runner (12" Single Row; .056"; PLF)
Aluminum Diamond Plate Runner (12" Double Rows; .056"; PLF)

## TIRE/WHEEL ASSEMBLIES & ACCESSORIES

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 13" Aluminum (Radial; From 13" Silver Mod Wheels)
Upgrade to 15" Silver Mod (Radial; From 13" Silver Mod Wheels; Includes Fender Upgrade)
Upgrade to 15" 225 Silver Mod Wheels (Radial; From 15" 205 Silver Mod Radial)
Upgrade to 15" Aluminum (Radial; From 15" Silver Mod Radial Wheels)
Upgrade to 15" Black Aluminum (Radial; From 15" Silver Mod Radial Wheels)
Upgrade to 15" Flat Black Mod (Radial; From 15" Silver Mod Radial Wheels; Special Order)
Upgrade to 15" Galvanized (Radial; From 15" Silver Mod Radial Wheels)
Upgrade to 15" 225 Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 15" 225 Black Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 15" 225 Flat Black Mod (Radial; From 15" 225 Silver Mod Radial Wheels; Special Order)
Upgrade to 16" Silver Mod Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 16" Aluminum Wheels (Radial; From 15" 225 Aluminum)
Upgrade to 16" Black Aluminum Wheels (Radial; From 15" 225 Aluminum)
Upgrade to 16" G-Rated Silver Mod Wheels (Radial; From 16" Silver Mod Radial)
Upgrade to 16" Aluminum Wheels (Radial; From 16" Silver Mod Wheels)
Upgrade to 16" Black Aluminum Wheels (Radial; From 16" Silver Mod Wheels)
Upgrade to Black Aluminum Rims from Aluminum (Same Size)
Spare 13" Silver Mod Wheel w/ 175/80R13 Tire

TIRE/WHEEL ASSEMBLIES & ACCESSORIES (CONTINUED)
Spare 13" Aluminum Wheel w/ 175/80R13 Tire
Spare 13" Galvanized Wheel w/ 175/80R13 Tire
Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Spare 15" Black Aluminum Wheel w/ 205/75R15 Tire
Spare 15" Galvanized Wheel w/ 205/75R15 Tire
Spare 15" Silver Mod Wheel w/ 225/75R15 Tire (5-Lug)
Spare 15" Silver Mod Wheel w/ 225/75R15 Tire (6-Lug)
Spare 15" Aluminum Wheel w/ 225/75R15 Tire (5-Lug)
Spare 15" Aluminum Wheel w/ 225/75R15 Tire (6-Lug)
Spare 15" Black Aluminum Wheel w/ 225/75R15 Tire
Spare 16" Silver Mod Wheel w/ 235/80R16 Tire
Spare 16" Aluminum Wheel w/ 235/80R16 Tire
Spare 16" Black Aluminum Wheel w/ 235/80R16 Tire
Spare 16" G-Rated Silver Mod Wheel w/ 235/80R16 Tire (14 Ply Rating)
2024 Interior Elevated Spare Tire Mount (Universal Fitment)
Exterior Elevated Spare Tire Mount (Diamond Plate; Exterior Wall)
Spare Tire Mount (Interior; Floor Level)
Deluxe Recessed Spare Tire Well (Diamond Plate w/Hatch Cover)



# ENCLOSED CARGO POPULAR OPTIONS CONTINUED

## AXLES

AXLES
Upgrade to 1-3K Torsion Braked Axle (From 1-3K Torsion Idler; Trailer Must Have at Least 12" E-Rated Tires)
Upgrade to 2-3K Torsion Braked Axles (From 1-3K Torsion Idler)
Upgrade to 2-5K Torsion Braked Axles & Frame (From 2-3K Braked; Includes Axle Carrier Upgrade and 16" O/C Floor Stud Upgrade, & Upgrade to 15" 225 6-Lug Tires)
Upgrade to 2-6k Torsion Braked Axles (From 2-5K Torsion Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)
Upgrade to 2-7K Torsion Braked Axles (From 2-5K Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)
Upgrade to 2-3K Hydraulic Braked Axles (From 2-3K Torsion Braked)

## TIE-DOWNS

TIE-DOWNS
Light Duty Surface-Mounted D-Ring (Installed)
Light Duty Sliding D-Ring (For Recessed Slide Track; Installed)
Upgrade to Powder Coated Sliding D-Ring (From Existing Sliding D-Ring)
Heavy-Duty Recessed 5000# D-Rings w/Backing Plate
Heavy-Duty Recessed 6000# Swivel D-Rings w/Backing Plate (Zinc)
Heavy-Duty Recessed 6000# Swivel D-Rings w/Backing Plate (Stainless Steel)
Recessed Flip-Up Motorcycle Wheel Chock w/(4) Surface-Mounted D-Rings
Recessed Flip-Up Motorcycle Wheel Chock w/(4) Recessed Heavy Duty D-Rings
Recessed Flip-Up Motorcycle Wheel Chock
Surface-Mounted Wheel Chock (Aluminum w/Mounting Hardware)
Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Surface-Mounted D-Rings
Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Heavy Duty D-Rings
Single Stainless Steel Tube Style Wheel Chock for Single Piece of Slide Track (Installed)
Stainless Steel Tube Style Wheel Chock

## 12V LIGHTING & ELECTRICAL

12V LIGHTING & ELECTRICAL
Add LED Backup Lights (Pair; Installed)
Additional LED Stop/Turn/Tail Lights (Pair; Installed)
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)
Upgrade to Additional LED Marker Lights Bullets
Diamond Plate Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)
Anodized Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)
(2) 12V LED Load Lights w/Switch (950 Lumens)
(1) 12V LED Load Light w/Switch (950 Lumens)
Recessed LED Exterior Load Light Package: (1) Light w/Switch & Housing (950 Lumens; Side of Trailer)
12V LED Porch Light w/Wall Switch
K60 LED Exterior Scene Light Package: (2) K60 Scene Lights; (1) 12V Wall Switch
Mid-Ship Turn Signals (For Tandem Fenders Only; Pair)

AXLES (CONTINUED)
Spread Axle Upgrade (Torsion) w/Individual Fenders (7' & 7.5' Wide)
Spread Axle Upgrade (Leaf Spring) w/Individual Fenders (7' & 7.5' Wide)
Spread Axle Upgrade (Torsion) w/Tapered Fender Skirting (8' Wide)
Spread Axle Upgrade (Leaf Spring) w/Tapered Fender Skirting (8' Wide)
Upgrade to Surge Brakes (From Compatible Brake Size)
Upgrade to Zero Degree Axle(s)
Upgrade to 22.5 Degree Down Axle(s)
Upgrade to 45 Degree Down Axle(s)
Upgrade to Galvanized Axle (Torsion; Minimum 4-Week Lead Time)

TIE-DOWNS (CONTINUED)
E-Track, Surface Mounted (Floor)
E-Track, Surface Mounted (Wall)
E-Track, HD Recessed w/Backing Plate (Floor)
E-Track, HD Recessed w/Backing Plate (Walls)
E-Track (Aluminum), Surface Mounted (Wall)
E-Track (Aluminum), HD Recessed w/Backing Plate (Floor)
E-Track (Aluminum), HD Recessed w/Backing Plate (Walls)
Airline Track (Aluminum), Surface Mounted (Floor)
Airline Track (Aluminum), Surface Mounted (Wall)
Airline Track (Recessed in Floor; Aluminum; PLF)
Airline Track (Recessed in Wall; Aluminum; PLF)
Recessed Slide Track (Track Only; D-Rings Sold Separately)
Recessed Slide Track: (2) Rows w/(4) Sliding D-Rings
Powder Coated Slide Track Upgrade (For Existing Slide Track; PBF)

12V LIGHTING & ELECTRICAL (CONTINUED)
Angled Back Up Lights (Mounts on Side of Trailer)
Upgrade to 12V Electric Pedestal Jack w/Battery & Box Installed
Upgrade to 12V Electric Pedestal Jack w/o Battery
12V Power Jack (Cigarette Lighter Plug)
Upgrade to LED Economy Dome Light (From Incandescent; 460 Lumens)
Additional 12V LED Dome Light (460 Lumens)
12 Volt Wall Switch
12 Volt Wall Switch (3-Way)
Upgrade to 12 Volt (3-Way) Wall Switch
LED Puck Light Package: (8) Recessed Lights & Wall Switch (Requires Ceiling Liner)
Additional Recessed LED Puck Light
LED Puck Light Pkg Under Overhead Cabinet: (2) Round LED Flush Mount Dome Lights, (1) 12V Wall Switch



# ENCLOSED CARGO POPULAR OPTIONS CONTINUED

## 12V LIGHTING & ELECTRICAL CONTINUED

12V LIGHTING & ELECTRICAL
18" 12V LED Light (Requires Ceiling Liner)
Upgrade Interior Dome Light to 12V 18" LED Light
Upgrade to (3) 18" 12V LED Lights (From (2) 4' LED Wraparound; Requires Ceiling)
Trickle Charger for Battery
Deep Cycle Marine Battery & Box (Wired)
12V USB-C and USB-A Dual Recessed Receptacle
LED Interior Strip Light w/Housing Package (Per Foot, Per Section)

## 110V LIGHTING & ELECTRICAL

110V LIGHTING & ELECTRICAL
110V Power Package #1: (1) 15 AMP Motorbase Plug, (1) Wall Switch, (1) Receptacle, (1) 4' LED Wraparound Light (No Additions Available w/Pkg #1)
110V Power Package #2: (1) 30 AMP Breaker, (1) 25' Shore Line, (2) 3-Way Wall Switches, (1) Standard Wall Receptacle, (1) GFCI Wall Receptacle, (2) 4' LED Wrap-around Lights
110V Power Package #3: (1) 30 AMP Panel, (1) Wall Switch, (4) Standard Wall Receptacles, (1) GFCI Receptacle, (4) 4' LED Wraparound Lights, (1) Brace & Wire Stub for A/C Unit
110V Power Package #4: (1) 15 AMP Motorbase Plug, (2) Wall Receptacles
110V Power Package #5: (1) 60A Breaker Panel w/60A Converter & 50A Motorbase Plug, (2) 3-Way Wall Switches, (1) Standard Wall Receptacle, (1) USB Wall Receptacle, (1) GFCI Wall Receptacle, (2) 4' LED Wraparound Lights, 12V Deep Cycle Battery & Box
15A Motorbase Plug
30A Motorbase Plug (Replaces Shore Line; 110V Package Required)
30A Power Converter (110V Pkg #2)
30A Power Cord 25' Long (For Motorbase Plug)
30A Generator Line Switch

## CABINETS

CABINETS
V-Nose Base Cabinet, 2-Door (50" & 60" Wide Models)
V-Nose Base Cabinet, 2-Door (80" Wide Models)
V-Nose Base Cabinet, 4-Door (80" Wide Models)
V-Nose Base Cabinet 2-Door (84" Wide Models; 78"W x 22"D x 37"H)
V-Nose Base Cabinet 4-Door (84" Wide Models; 74"W x 31"D x 37"H)
V-Nose Base Cabinet, 2 Door (90" Wide Models)
V-Nose Base Cabinet, 2 Door (99" Wide Models; 83"W x 30"D x 37"H)
V-Nose Base Cabinet, 4 Door (99" Wide Models; 83"W x 30"D x 37"H)
Upgrade V-Nose Base Cabinet to Full Width/Depth of V-Nose (72", 80", & 84" Wide Models)
Upgrade V-Nose Base Cabinet to Full Width/Depth of V-Nose (90", & 99" Wide Models)
V-Nose Overhead Cabinet, 2-Door (50" & 60" Wide Models)
V-Nose Overhead Cabinet, 2-Door (80" Wide Models)
V-Nose Overhead Cabinet, 2-Door (84" Wide Models)
V-Nose Overhead Cabinet, 2-Door (90" Wide Models)

12V LIGHTING & ELECTRICAL (CONTINUED)
Upgrade to 7-Way Plug w/Junction Box (From 4-Way Plug)
Upgrade to Permaseal Wire Connectors
Upgrade Premium Light Package (LED Strip Lights w/Integrated Backup Lights, Marker Lights w/Clear Lenses)
Upgrade to Premium Light Package (LED Strip Lights w/No Backup Lights, Marker Lights w/Clear Lenses)
Wireless Backup Camera System w/ 7" LCD Screen
Add Pair LED 6" Oval Alternating Flashing Safety Lights (Orange) w/Exterior Toggle Switch (Hardwired Into Auxiliary; 7-Way Plug Required)

110V LIGHTING & ELECTRICAL (CONTINUED)
Upgrade to 50 AMP Breaker Box (Requires 110V Pkg #2)
50A Power Cord 25' Long (For Motorbase Plug)
60A Power Converter (110V Pkg Required)
110 Volt Wall Receptacle (Installed; Requires 110V Pkg)
110 Volt Combo USB/Wall Outlet Receptacle (Installed; Requires 110V Pkg #2)
110 Volt Wall Switch (3-Way; Requires 110V Pkg #2)
GFCI Wall Receptacle (Exterior; Requires 30A Package)
4' LED Wraparound Light (Requires 110V Pkg)
GFCI Wall Receptacle (Interior; Requires 30A Package)
500W Swing-Mount Quartz Light
13,500 BTU Roof Mounted Air Conditioner (Requires 110V Pkg #2)
Heat Strip for A/C Unit
Brace and Stub Wire for Future AC Installation (Requires 110V Pkg #2; 12 Gauge Wire & 20A Breaker)
Heater; Electric: CADET Com-Pak Plus White Wall Fan, 1500 Watt (Requires 110V Pkg #2)

CABINETS (CONTINUED)
V-Nose Overhead Cabinet, 2-Door (99" Wide Models; 56"W x 19"D x 19"H)
V-Nose Overhead Cabinet, 2-Door (99" Wide Models; 72"W x 19"D x 19"H; Special Option Cabinet)
4' Straight Wall Base Cabinet, 2-Door (48"W x 24"D x 37"H)
5' Straight Wall Base Cabinet, 2-Door (60"W x 24"D x 37"H)
6' Straight Wall Base Cabinet, 2-Door (72"W x 24"D x 37"H)
8' Straight Wall Base Cabinet, 2-Door (96"W x 24"D x 37"H)
8' Straight Wall Base Cabinet, 4-Door
Upgrade Base Cabinet to 28" L-Shape Extension
8' Flat Front 4-Door Base Cabinet
Add 4" Depth to 8' Flat Front 4-Door Base Cabinet (24" Deep)
Overhead Cabinet, 1 Flip-Up Door (48"W x 13"D x 18"H)
Overhead Cabinet, 2-Door (48"W x 13"D x 18"H)
Overhead Cabinet (Premium), 1 Flip-Up Door (48"W x 13"D x 18"H)

# ENCLOSED CARGO POPULAR OPTIONS CONTINUED

## CABINETS CONTINUED

CABINETS
Overhead Cabinet, 1 Door (62"W x 12"D x 18"H)
Deluxe Overhead Cabinet, 4-Door (72"W x 13"D x 18"H)
Deluxe Overhead Cabinet, 4-Door (96"W x 13"D x 18"H)
Overhead Cabinet, 2 Flip-Up Door (96"W x 13"D x 18"H)
8' Flat Front 4-Door Overhead Cabinet
Add 8" Depth to 8' Flat Front 4 Door Overhead Cabinet (24" Deep)
Upgrade V-Nose Overhead Cabinet to Full Width/Depth of V-Nose (72", 80", & 84" Wide Models)
Wheel Well Cabinet, 2-Door w/Shelving (72"W x 6 3/4"D x 62"H)
Premium 50" Helmet Cabinet w/Hooks
24" Wardrobe Cabinet w/(1) Full Height Door, (1) Clothing Rod (24"W x 24"D x 72"H)

CABINETS (CONTINUED)
96" Premium Overhead Split Cabinet w/Center Shelf w/2 Flip-Up Doors (96"W x 18"D x 18"H)
36" Wardrobe Cabinet w/(1) Full Height Door, (1) Shelf, (1) Clothing Rod (36"W x 24"D x 76"H)
Premium Wall-Mounted Coat Hanger (47.5", 10 Hooks)
Premium Ceiling-Mounted Coat Hanger (38", 22 Hooks)
Clothing Rod for Overhead Cabinets (48" Cabinets Only)
4' Coat Rack Package (47' Slide Track w/(6) Adjustable Hooks)
18" Shelving w/Angled Gussets (PLF, Per Tier)
Upgrade to Formica Countertop (Base Cabinet Sold Separately)
Standard Tool Crib Package: (1) 72"x24" Horizontal Access Door (Over Fender w/ Retainer Chains), (2) 38"x22" Vertical Access Doors (Ahead/Behind Fender), Adjustable Shelf Brackets in Vertical Cabinets, 3/8" Water Resistant Liner (Interior & Exterior of Box Frame), 19"D x 42"H x 128"L Box Frame Inside Trailer, Hinged Lid (3 Sections)

## VENTS & WINDOWS

VENTS & WINDOWS
14"x14" Manual Roof Vent
12V Power Roof Vent
110V Power Roof Vent (Requires 30A Package)
Fantastic Fan/Vent (Dometic 22-0462; Requires 30A Package)
Maxx-Air Roof Vent Cover

VENTS & WINDOWS (CONTINUED)
Directional Salem Vent Kit (Plastic; Pair)
Two-Way Directional Salem Vent Kit (Aluminum; Pair)
18"x24" Horizontal Radius Sliding Window w/Screen
18"x24" Vertical Radius Sliding Window w/Screen
24"x36" Radius Sliding Window w/Screen
24"x36" Egress Sliding Window (Tinted w/Screen)

## MISC. OPTIONS & ACCESSORIES

MISC. OPTIONS & ACCESSORIES
Fold-Down Sofa/Sleeper
Fold-Down Bunk Beds
HappiJac Bed System w/(1) Queen Size Mattress
Fold Down Bench (12"x48"; Work or Seating)
Fold-Down Padded Bench (48"L) Vertical Design
Premium 50" Fold-Up Padded Bench
Premium 36" Fold-Up Work Bench w/Integrated Tool Storage
Premium Cup Holder

MISC. OPTIONS & ACCESSORIES (CONTINUED)
Premium (2) Race Fuel Holder
Premium (3) Race Fuel Holder
Basic Stereo Package: Includes (4) Boss Speakers
Stabilizer Jacks
Bogey/Caster Wheels (Installed; Pair)
HD Drag Wheels (AH Version)
Scissor Jacks (Camper Style; Pair)
Upgrade to Wheel on 2000# Center Jack

## POWDER COATING OPTIONS

POWDER COATING OPTIONS
Exterior Powder Coat Package (Cargo/Car Haulers): Includes Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim

# RAMP CAPACITY BY MODEL

RAMP TYPE	APPLICABLE MODELS	CAPACITY
Utility Trailer Rear Ramp (Fold-Down)	SSR (All Sizes); RA 2.0 (All Sizes); RW 2.0 (All Sizes); FA 2.0 (All Sizes); Landscape (LS) 2.0 (All Sizes)	750#
Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)	SSR (Optional, All Sizes); RA 2.0 (Optional, All Sizes); RW 2.0 (Optional, All Sizes); FA 2.0 (Optional, All Sizes); Landscape (LS) 2.0 (Optional, All Sizes)	750#
Deckover Equipment Trailer Ramps (Stow)	(All Sizes)	4000# (PAIR)
Deckover Equipment Trailer Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
UHD Ramps (Fold-Down)	(All Sizes)	4000# (PAIR)
UHD Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Dump Trailer Ramps (Side-Stow, Optional)	(All Sizes)	4000# (PAIR)
ATV Ramps (83" Wide, Side-Stow)	(All Sizes)	1200# (PAIR)
ATV Ramps (84" or 9" Wide, Side-Stow)	(All Sizes)	750# (PAIR)
Open Motorcycle Ramp (Rear-Stow)	(All Sizes)	1200#
Slingshot Rear Ramp (Fold-Down, Bi-Fold)	U-SLINGSHOT	1500#
Open Car Hauler 2.0 Ramps (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler 2.0 Ramps 10K (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler Standard (Stow)	(All Sizes)	4000# (PAIR)
Open Snow Ramp (Rear-Stow)	SnoPro Drive On/Off	750#
Sport Deck (Rear-Stow, Telescoping Ramps)	SSD	1000#
Enclosed Cargo Ramp (4', 5', 6' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (7' & 7.5' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (8.5' Wide, Premium)	(All Sizes)	1500#
Enclosed Motorcycle Ramp (7' Wide)	(All Sizes)	1500#
Enclosed Car Hauler Ramp (8.5' Wide)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Rear)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Side, Optional)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Rear)	(All Sizes)	1500#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Front)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (Hybrid, Rear)	(All Sizes)	1500#



# TONGUE EXTENSION BY MODEL

TRAILER TYPE	ALLOWABLE EXTENSION	ADDITIONAL REQUIREMENTS	ITEM NUMBER	DESCRIPTION
Enclosed Cargo (4' & 5' Wide)	N/A	Frame Upgrade Required; Consult Engineering	N/A	N/A
Enclosed Cargo (6', 7', 7.5' Wide)	12"	Economy Models Require Center Beam Upgrade	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame); Includes Center Beam Upgrade; Not Available With All Sport or Snow Trailers.
Enclosed Cargo (8.5' Wide, Premium)	12" (16" w/ Upgrade)	Min. 6" Frame for 16" Tongue Extension; Upgrade May Be Required	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade; Not Available With All Sport or Snow Trailers.
Enclosed Motorcycle (7' Wide)	12"	N/A	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame); Includes Center Beam Upgrade; Not Available With All Sport or Snow Trailers.
Enclosed Car Hauler (8.5' Wide, Premium)	16"	N/A	TONGUE16EXTCH	16" Extended Tongue (For 5k Tandem Axle Enclosed w/2"x6" Frame or Larger); Not Available With All Sport or Snow Trailers.
Enclosed Car Hauler - All Sport (8.5' Wide)	N/A	Extended Tongue Incompatible With Front Ramp	N/A	N/A
Enclosed Snowmobile (7' & 7.5' Wide)	N/A	Extended Tongue Incompatible With Front Ramp	N/A	N/A
Enclosed Snowmobile (101" Wide)	10"	Requires 3"x5" Tongue Upgrade w/Straight-Pull Coupler	TBD	TBD

\*\*Please note that all 5k tandem trailers w/ extended tongues require a minimum of 6" base frame, regardless of brand/model