

OPEN UTILITY RA 2.0

8' – 14'



8' – 10'

STANDARD FEATURES

- All-Aluminum Construction
- 2"x3" Subframe Tubing
- 24" O/C Floor Crossmembers
- Triple Tube Box Tube Tongue
- Dexter Torsion Idler Axle
- Adjustable Track for Perimeter Easy Install Options
- Adjustable Interior Track for Easy Install Tie-Downs
- Adjustable Perimeter Track for Easy Install Options
- Integrated Rear Ramp with Beveled Edge
- 3-Piece Extruded Hinge System
- Exterior LED Lighting
- Extruded Aluminum Decking
- Easy Removable Aluminum Fenders
- 6000# Coupler w/ 2" Ball
- 5-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	54X8	54X10	60X8	60X10	66X10
Model Number	U54x8RA-2.0	U54x10RA-2.0	U60x8RA-2.0	U60x10RA-2.0	U66x10RA-2.0
Deck (WxL)	50"x96"	50"x119"	56"x96"	56"x119"	62"x119"
Overall (WxL)	76"x150"	76"x173"	82"x150"	82"x173"	88"x173"
Deck Height	16"	16"	16"	16"	16"
Hitch Height	13"	13"	13"	13"	13"
Axle(s) - Qty/Rating	1-2200#	1-2200#	1-2200#	1-2200#	1-2200#
Wheels	13" Aluminum	13" Aluminum	13" Aluminum	13" Aluminum	13" Aluminum
Tires	175/80R13	175/80R13	175/80R13	175/80R13	175/80R13
GVWR	2200#	2200#	2200#	2200#	2200#
Curb Weight	408#	458#	498#	542#	582#
Payload	1792#	1742#	1702#	1658#	1618#
Power Connection	4-Way Flat	4-Way Flat	4-Way Flat	4-Way Flat	4-Way Flat

OPTIONS & ACCESSORIES

RAMP OPTIONS	EASY INSTALL/ADJUST OPTIONS
Bi-Fold Ramp Upgrade	Easy Install/Adjust Spare Tire Mount (RA or FA 2.0)
JACKS & JACK ACCESSORIES	Easy Install/Adjust Stake Pocket Kit (RA or FA 2.0): Includes (4) Stake Pockets w/ Hardware
1200# Wheel Jack	Easy Install/Adjust D-Ring Kit (RA or FA 2.0): Includes (4) 2,000lb D-Rings & Hardware
1500# Wheel Jack	Easy Install/Adjust D-Ring (RA or FA 2.0)
RAIL KIT OPTIONS (2.0) MODELS	Easy Install/Adjust Drop-Down Stabilizer Jacks (Pair; RA or FA 2.0)
Easy Install 10" Solid Rail Kit for 54x8 (RA 2.0)	Easy Install/Adjust Cooler Tray (RA 2.0)
Easy Install 10" Solid Rail Kit for 54x10 (RA 2.0)	Easy Install/Adjust Tool Rack (RA 2.0)
Easy Install 10" Solid Rail Kit for 60x8 (RA 2.0)	TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Easy Install 10" Solid Rail Kit for 60x10 (RA 2.0)	Spare 13" Aluminum Wheel w/ 175/80R13 Tire
Easy Install 10" Solid Rail Kit for 66x10 (RA 2.0)	Spare 14" Aluminum Wheel w/ 205/75R14 Tire
Easy Install 14" Slatted Rail Kit for 54x8 (RA 2.0)	Downgrade to Silver Mods From Aluminum Rims
Easy Install 14" Slatted Rail Kit for 54x10 (RA 2.0)	Upgrade to 14" Aluminum (Radial Ply; From 13" Aluminum; Open Trailers)
Easy Install 14" Slatted Rail Kit for 60x8 (RA 2.0)	Upgrade to 15" Aluminum (Radial Ply; From 13" Aluminum; Open Trailers)
Easy Install 14" Slatted Rail Kit for 60x10 (RA 2.0)	FLOORING OPTIONS
Easy Install 14" Slatted Rail Kit for 66x10 (RA 2.0)	Upgrade to 5/4" Pressure Treated Decking Boards (From Extruded Aluminum; PBF)
Easy Install 2"x2" Removable Rail Kit (RA 2.0; PBF)	



OPEN UTILITY RA 2.0

8' – 14' CONTINUED

10' – 14'

STANDARD FEATURES

- > All-Aluminum Construction
- > 2"x3" Subframe Tubing
- > 24" O/C Floor Crossmembers
- > Triple Tube Box Tube Tongue
- > Dexter Torsion Idle Axle
- > Adjustable Track for Perimeter Easy Install Options
- > Adjustable Interior Track for Easy Install Tie-Downs
- > Adjustable Perimeter Track for Easy
- Install Options
 - > Integrated Rear Ramp with Beveled Edge
 - > 4-Piece Extruded Hinge System
 - > Exterior LED Lighting
 - > Extruded Aluminum Decking
- > Easy Removable Aluminum Fenders
- > 6000# Coupler w/ 2" Ball
- > 5-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	72X10	72X12	80X12	80X14
Model Number	U72x10RA-2.0	U72x12RA-2.0	U80x12RA-2.0	U80x14RA-2.0
Deck (WxL)	68"x119"	68"x146"	76"x146"	76"x169"
Overall (WxL)	94"x173"	94"x200"	102"x200"	102"x223"
Deck Height	17"	17"	17"	17"
Hitch Height	14"	14"	14"	14"
Axle(s) - Qty/Rating	1-3500#	1-3500#	1-3500#	1-3500#
Wheels	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum
Tires	205/75R14	205/75R14	205/75R14	205/75R14
GVWR	2990#	2990#	2990#	2990#
Curb Weight	667#	697#	730#	862#
Payload	2323#	2293#	2260#	2128#
Power Connection	4-Way Flat	4-Way Flat	4-Way Flat	4-Way Flat

OPTIONS & ACCESSORIES

RAMP OPTIONS	EASY INSTALL/ADJUST OPTIONS
Bi-Fold Ramp Upgrade	Easy Install/Adjust Spare Tire Mount (RA or FA 2.0)
JACKS & JACK ACCESSORIES	Easy Install/Adjust Stake Pocket Kit (RA or FA 2.0): Includes (4) Stake Pockets w/ Hardware
1200# Wheel Jack	Easy Install/Adjust D-Ring Kit (RA or FA 2.0): Includes (4) 2,000lb D-Rings & Hardware
1500# Wheel Jack	Easy Install/Adjust D-Ring (RA or FA 2.0)
RAIL KIT OPTIONS (2.0) MODELS	Easy Install/Adjust Drop-Down Stabilizer Jacks (Pair; RA or FA 2.0)
Easy Install 10" Solid Rail Kit for 72x10 (RA 2.0)	Easy Install/Adjust Cooler Tray (RA 2.0)
Easy Install 10" Solid Rail Kit for 72x12 (RA 2.0)	Easy Install/Adjust Tool Rack (RA 2.0)
Easy Install 10" Solid Rail Kit for 80x12 (RA 2.0)	TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Easy Install 10" Solid Rail Kit for 80x14 (RA 2.0)	Spare 14" Aluminum Wheel w/205/75R14 Tire
Easy Install 14" Slatted Rail Kit for 72x10 (RA 2.0)	Downgrade to Silver Mods From Aluminum Rims
Easy Install 14" Slatted Rail Kit for 72x12 (RA 2.0)	Upgrade to 15" Aluminum (Radial Ply; From 14" Aluminum Wheels; Open Trailers)
Easy Install 14" Slatted Rail Kit for 80x12 (RA 2.0)	FLOORING OPTIONS
Easy Install 14" Slatted Rail Kit for 80x14 (RA 2.0)	Upgrade to 5/4" Pressure Treated Decking Boards (From Extruded Aluminum; PBF)
Easy Install 2"x2" Removable Rail Kit (RA 2.0; PBF)	
Easy Install Side Stow ATV Ramps w/10" Solid Side Rail Kit (12' RA 2.0)	
Easy Install Side Stow ATV Ramps w/10" Solid Side Rail Kit (14' RA 2.0)	

RAMP CAPACITY BY MODEL

RAMP TYPE	APPLICABLE MODELS	CAPACITY
Utility Trailer Rear Ramp (Fold-Down)	SSR (All Sizes); RA 2.0 (All Sizes); RW 2.0 (All Sizes); FA 2.0 (All Sizes); Landscape (LS) 2.0 (All Sizes)	750#
Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)	SSR (Optional, All Sizes); RA 2.0 (Optional, All Sizes); RW 2.0 (Optional, All Sizes); FA 2.0 (Optional, All Sizes); Landscape (LS) 2.0 (Optional, All Sizes)	750#
Deckover Equipment Trailer Ramps (Stow)	(All Sizes)	4000# (PAIR)
Deckover Equipment Trailer Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
UHD Ramps (Fold-Down)	(All Sizes)	4000# (PAIR)
UHD Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Dump Trailer Ramps (Side-Stow, Optional)	(All Sizes)	4000# (PAIR)
ATV Ramps (83" Wide, Side-Stow)	(All Sizes)	1200# (PAIR)
ATV Ramps (84" or 9" Wide, Side-Stow)	(All Sizes)	750# (PAIR)
Open Motorcycle Ramp (Rear-Stow)	(All Sizes)	1200#
Slingshot Rear Ramp (Fold-Down, Bi-Fold)	U-SLINGSHOT	1500#
Open Car Hauler 2.0 Ramps (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler 2.0 Ramps 10K (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler Standard (Stow)	(All Sizes)	4000# (PAIR)
Open Snow Ramp (Rear-Stow)	SnoPro Drive On/Off	750#
Sport Deck (Rear-Stow, Telescoping Ramps)	SSD	1000#
Enclosed Cargo Ramp (4', 5', 6' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (7' & 7.5' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (8.5' Wide, Premium)	(All Sizes)	1500#
Enclosed Motorcycle Ramp (7' Wide)	(All Sizes)	1500#
Enclosed Car Hauler Ramp (8.5' Wide)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Rear)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Side, Optional)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Rear)	(All Sizes)	1500#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Front)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (Hybrid, Rear)	(All Sizes)	1500#