

OPEN WOOD DECK CAR HAULERS

16' – 24' 10K



16' – 22'

STANDARD FEATURES

- › All Aluminum Construction
- › 2"x3" Heavy Wall Crossmembers
- › 2"x5" Subframe Tubing (Outer & Tongue)
- › 10000# Coupler w/2-5/16" Ball
- › (2) 5000# Safety Chains
- › 5000# Center Jack
- › Dexter Leaf Spring Axles
- › 2"x8" Heat-Treated Planking
- › (4) 5000# Recessed D-Rings
- › Rub Rail w/Stake Pockets
- › Front Bumper
- › Removable Aluminum Fender (D/S)
- › 2' Beavertail (3" Drop)
- › Stowaway 6' Aluminum Ramps
- › Recessed LED Marker Lights
- › 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	16'	18'	20'	22'
Model Number	COCH8x16-W-2.0	COCH8x18-W-2.0	COCH8x20-W-2.0	COCH8x22-W-2.0
Deck (WxL)	80"x192"	80"x216"	80"x240"	80"x264"
Overall (WxL)	101"x220"	101"x244"	101"x268"	101"x292"
Deck Height	20"	20"	20"	20"
Hitch Height	24"	24"	24"	24"
Decking	2"x8" Planking	2"x8" Planking	2"x8" Planking	2"x8" Planking
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	7000#	7000#	7000#	7000#
Curb Weight	1363#	1543#	1723#	TBD
Payload	5637#	5457#	5277#	TBD
Power Connection	7-Way Round	7-Way Round	7-Way Round	7-Way Round

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Upgrade to 3" Adjustable 2-5/16" A-Frame Coupler
Upgrade to Removable Curbside Fender
ACCESSORIES
Air Dam for Open Car Hauler
Large, Lockable Tongue-Mounted Diamond Plate Toolbox (Requires Wishbone Tongue)
Additional Welded Stake Pocket(s)
RAMP OPTIONS
Full-Width Utility Rear Ramp (Replaces Pull-Out Car Hauler Ramps)
Add 3rd Ramp to Open Car Hauler for Slingshot

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 15" Aluminum (Radial; From 15" Silver Mod Radial Wheels)
Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Bolt-On Spare Tire Carrier (Tongue-Mounted)
TIE DOWN OPTIONS
5000# Recessed Heavy Duty D-Ring w/Backing Plate (Installed)
Zinc 6000# Recessed Swivel D-Ring w/Backing Plate (Installed)
Upgrade to Zinc 6000# Recessed Swivel D-Rings (From 5000# Recessed HD D-Ring w/Backing Plate; Installed)



WOOD DECK CAR HAULERS

16' – 24' 10K CONTINUED

18' 10K – 24' 10K

STANDARD FEATURES

- > All Aluminum Construction
- > 2"x3" Heavy Wall Crossmembers
- > 2"x6" Subframe Tubing (Outer & Tongue)
- > 10000# Coupler w/2-5/16" Ball
- > (2) 5000# Safety Chains
- > 5000# Center Jack
- > Dexter Leaf Spring Axles
- > 2"x8" Heat-Treated Planking
- > (4) 5000# Recessed D-Rings
- > Rub Rail w/Stake Pockets
- > Front Bumper
- > Removable Aluminum Fender (D/S)
- > 2' Beavertail (3" Drop)
- > Stowaway 6' Aluminum Ramps
- > Recessed LED Marker Lights
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	18'-10K	20'-10K	24'-10K
Model Number	COCH8x18-W-10K-2.0	COCH8x20-W-10K-2.0	COCH8x24-W-10K-2.0
Deck (WxL)	80"x216"	80"x240"	80"x288"
Overall (WxL)	101"x244"	101"x268"	101"x316"
Deck Height	20"	20"	20"
Hitch Height	24"	24"	24"
Decking	2"x8" Planking	2"x8" Planking	2"x8" Planking
Axle(s) - Qty/Rating	2-5200# Braked	2-5200# Braked	2-5200# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	225/75R15	225/75R15	225/75R15
GVWR	9900#	9900#	9900#
Curb Weight	1745#	1925#	TBD
Payload	8155#	7975#	TBD
Power Connection	7-Way Round	7-Way Round	7-Way Round

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

CONSTRUCTION OPTIONS	TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 3" Adjustable 2-5/16" A-Frame Coupler	Upgrade to 15" 225 Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to Removable Curbside Fender	Spare 15" Silver Mod Wheel w/ 225/75R15 Tire (6-Lug)
ACCESSORIES	Spare 15" Aluminum Wheel w/ 225/75R15 Tire (6-Lug)
Air Dam for Open Car Hauler	Bolt-On Spare Tire Carrier (Tongue-Mounted)
Large, Lockable Tongue-Mounted Diamond Plate Toolbox (Requires Wishbone Tongue)	TIE DOWN OPTIONS
Additional Welded Stake Pocket(s)	5000# Recessed Heavy Duty D-Ring w/Backing Plate (Installed)
RAMP OPTIONS	Zinc 6000# Recessed Swivel D-Ring w/Backing Plate (Installed)
Full-Width Utility Rear Ramp (Replaces Pull-Out Car Hauler Ramps)	Upgrade to Zinc 6000# Recessed Swivel D-Rings (From 5000# Recessed HD D-Ring w/Backing Plate; Installed)
Add 3rd Ramp to Open Car Hauler for Slingshot	

RAMP CAPACITY BY MODEL

RAMP TYPE	APPLICABLE MODELS	CAPACITY
Utility Trailer Rear Ramp (Fold-Down)	SSR (All Sizes); RA 2.0 (All Sizes); RW 2.0 (All Sizes); FA 2.0 (All Sizes); Landscape (LS) 2.0 (All Sizes)	750#
Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)	SSR (Optional, All Sizes); RA 2.0 (Optional, All Sizes); RW 2.0 (Optional, All Sizes); FA 2.0 (Optional, All Sizes); Landscape (LS) 2.0 (Optional, All Sizes)	750#
Deckover Equipment Trailer Ramps (Stow)	(All Sizes)	4000# (PAIR)
Deckover Equipment Trailer Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
UHD Ramps (Fold-Down)	(All Sizes)	4000# (PAIR)
UHD Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Dump Trailer Ramps (Side-Stow, Optional)	(All Sizes)	4000# (PAIR)
ATV Ramps (83" Wide, Side-Stow)	(All Sizes)	1200# (PAIR)
ATV Ramps (84" or 9" Wide, Side-Stow)	(All Sizes)	750# (PAIR)
Open Motorcycle Ramp (Rear-Stow)	(All Sizes)	1200#
Slingshot Rear Ramp (Fold-Down, Bi-Fold)	U-SLINGSHOT	1500#
Open Car Hauler 2.0 Ramps (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler 2.0 Ramps 10K (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler Standard (Stow)	(All Sizes)	4000# (PAIR)
Open Snow Ramp (Rear-Stow)	SnoPro Drive On/Off	750#
Sport Deck (Rear-Stow, Telescoping Ramps)	SSD	1000#
Enclosed Cargo Ramp (4', 5', 6' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (7' & 7.5' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (8.5' Wide, Premium)	(All Sizes)	1500#
Enclosed Motorcycle Ramp (7' Wide)	(All Sizes)	1500#
Enclosed Car Hauler Ramp (8.5' Wide)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Rear)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Side, Optional)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Rear)	(All Sizes)	1500#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Front)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (Hybrid, Rear)	(All Sizes)	1500#