

ENCLOSED ALL-SPORT

16', 18', 20', 22', 24', 28', 32'



16' – 22'

STANDARD FEATURES

- > All-Aluminum Construction
 - > 16" O/C Wall & Roof Studs
 - > 16" O/C Floor Crossmembers
 - > Torsion Ride Suspension (45 Degree Down)
 - > Smooth .030" Bonded Side Panels
 - > One-Piece Aluminum Roof
 - > Rear Ramp Door w/Spring Assist w/FTH

- Flap
 - > Front Ramp Door w/Spring Assist
 - > V-Nose Construction w/12" Radius
 - > 5000# Wheel Jack
 - > 3/4" Water Resistant Decking
 - > Polished Aluminum Fender Flares
 - > 48" Beavertail Construction
 - > White Luan Interior Walls & Ceiling

- > Recessed LED Lights
 - > 3 Interior Dome Lights
 - > Drive-Over Fender Kit
 - > Roof Vent
 - > A-Frame Coupler
 - > (2) 7800# Safety Chains
 - > Recessed HD D-Rings
 - > 32"x72" Side Access Door w/Step Well

- > Roof Vent
 - > 4" Trim (Top/Rear), 7" Trim (Bottom)
 - > 24" Bright Stone Guard
 - > HD Center Jack
 - > Limited Lifetime Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	8.5x16 All Sport	8.5x18 All Sport	8.5x20 All Sport	8.5x22 All Sport
Model Number	C8.5X16CH-AS	C8.5X18CH-AS	C8.5X20CH-AS	C8.5X22CH-AS
Box (WxLxH)	99"x16"x78"	99"x18"x78"	99"x20"x78"	99"x22"x78"
Interior (WxLxH)	96"x15'10"x76"	96"x17'10"x76"	96"x19'10"x76"	96"x21'10"x76"
Overall (WxLxH)	102"x25'4"x8'8"	102"x27'4"x8'8"	102"x29'4"x8'8"	102"x31'4"x8'8"
Subframe Tubing	2"x6"	2"x6"	2"x6"	2"x6"
Deck Height	24"	24"	24"	24"
Hitch Height	18"	18"	18"	18"
Rear Door Opening (WxH)	89"x75"	89"x75"	89"x75"	89"x75"
Front Door Opening (WxH)	64"x72"	64"x72"	64"x72"	64"x72"
Axle(s) - Qty/Rating	2-5200# Braked	2-5200# Braked	2-5200# Braked	2-5200# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	225/75R15	225/75R15	225/75R15	225/75R15
GVWR	9000#	9000#	9000#	9000#
Curb Weight	2415#	2850#	2900#	2950#
Payload	7485#	7050#	7000#	6950#
V-Nose	72"	72"	72"	72"
Coupler Rating/Ball Size	12500# / 2-5/16"	12500# / 2-5/16"	12500# / 2-5/16"	12500# / 2-5/16"
Power Connection	7-Way Round	7-Way Round	7-Way Round	7-Way Round



ENCLOSED ALL-SPORT

16', 18', 20', 22', 24', 28', 32' CONTINUED

16' – 22' *continued*

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS

Add 3" to Box Height (PBF)

Add 6" to Box Height (PBF)

Add 9" to Box Height (PBF)

AXLES

Upgrade to 2-6K Torsion Braked Axles (From 2-5K Torsion Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)

Upgrade to 2-7K Torsion Braked Axles (From 2-5K Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)

WHEELS

Upgrade to 16" Aluminum Wheels (Radial; From 16" Silver Mod Wheels)

DOOR/WINDOW/VENT

4'X4' Escape Door

14"x14" Fuel Door w/Paddle Handle

Fold-Down Aluminum Step

COLOR OPTIONS



Windstar Silver



Flat Black



Crystal White



Indigo Blue



Penske Yellow



Forest Green



Orange



Charcoal



Pewter Metallic



Victory Red



Champagne



Brandywine



ENCLOSED ALL-SPORT

16', 18', 20', 22', 24', 28', 32' CONTINUED

24' - 32'

STANDARD FEATURES

- > All-Aluminum Construction
- > 16" O/C Wall & Roof Studs
- > 16" O/C Floor Crossmembers
- > Torsion Ride Suspension (45 Degree Down)
- > Smooth .030" Bonded Side Panels
- > One-Piece Aluminum Roof
- > Rear Ramp Door w/Spring Assist w/FTH
- > Flap
- > Front Ramp Door w/Spring Assist
- > V-Nose Construction w/12" Radius
- > 5000# Wheel Jack
- > 3/4" Water Resistant Decking
- > Polished Aluminum Fender Flares
- > 48" Beavertail Construction
- > White Luan Interior Walls & Ceiling
- > Recessed LED Lights
- > 3 Interior Dome Lights
- > Drive-Over Fender Kit
- > Roof Vent
- > A-Frame Coupler
- > (2) 7800# Safety Chains
- > Recessed HD D-Rings
- > 32"x72" Side Access Door w/Step Well
- > Roof Vent
- > 4" Trim (Top/Rear), 7" Trim (Bottom)
- > 24" Bright Stone Guard
- > HD Center Jack
- > Limited Lifetime Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	8.5x24 All Sport	8.5x28 All Sport	8.5x32 All Sport
Model Number	C8.5X24CH-AS	C8.5X28CH-AS	C8.5X32CH-AS
Box (WxLxH)	99"x24'x78"	99"x28'x78"	99"x32'x78"
Interior (WxLxH)	96"x23'10"x76"	96"x27'10"x76"	96"x31'10"x76"
Overall (WxLxH)	102"x33'4"x8'10"	102"x37'4"x8'10"	102"x41'4"x8'10"
Subframe Tubing	2"x8"	2"x8"	2"x8"
Deck Height	26"	26"	26"
Hitch Height	20"	20"	20"
Rear Door Opening (WxH)	89"x75"	89"x75"	89"x75"
Front Door Opening	64"x72"	64"x72"	64"x72"
Axle(s) - Qty/Rating	2-5200# Braked	2-5200# Braked	2-5200# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	225/75R15	225/75R15	225/75R15
GVWR	9000#	9000#	9000#
Curb Weight	3050#	3250#	TBD
Payload	6850#	6650#	TBD
V-Nose	72"	72"	72"
Coupler Rating/Ball Size	12500# / 2-5/16"	12500# / 2-5/16"	12500# / 2-5/16"
Power Connection	7-Way Round	7-Way Round	7-Way Round

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" to Box Height (PBF)
Add 6" to Box Height (PBF)
Add 9" to Box Height (PBF)
AXLES
Upgrade to 2-6K Torsion Braked Axles (From 2-5K Torsion Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)
Upgrade to 2-7K Torsion Braked Axles (From 2-5K Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)

WHEELS
Upgrade to 16" Aluminum Wheels (Radial; From 16" Silver Mod Wheels)
DOOR/WINDOW/VENT
4'X4' Escape Door
14"x14" Fuel Door w/Paddle Handle
Fold-Down Aluminum Step

COLOR OPTIONS

Windstar Silver	Flat Black	Crystal White
Indigo Blue	Penske Yellow	Forest Green
Orange	Charcoal	Pewter Metallic
Victory Red	Champagne	Brandywine



ALL SPORT & GOOSENECK POPULAR OPTIONS

CONSTRUCTION OPTIONS

CONSTRUCTION OPTIONS
Upgrade to Radius Roof Construction (Up to 30')
Add Slope in V-Nose
Cast Polished Corners for Flat Front
3" Extra Height
6" Extra Height
9" Extra Height
12" Extra Height
15" Extra Height (Requires .080" Wall Stud Upgrade & HD Rear Ramp)
18" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080" Wall Stud Upgrade)
21" Extra Height (Requires .080" Wall Stud Upgrade & HD Rear Ramp)
24" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080" Wall Stud Upgrade)
Height Decrease 6"
Height Decrease 12"
Additional Length in 2' Intervals (8.5' Wide)
Upgrade Trailer Frame (PBF; Peak Value; Includes Axle Carrier Upgrade & 16" O/C Floor Stud Upgrade)

DOORS, RAMPS, & COMPARTMENTS

DOORS, RAMPS, & COMPARTMENTS
32"x72" Side Access Door w/Paddle Handle
32"x72" Radius RV Door w/Screen (Window Optional)
Upgrade to Dexter 32"x72" Radius Door (From 32"x72" Piano Hinged Door)
Upgrade to 32"x72" Radius RV Door w/Screen (Window Optional; From Standard 32"x72" Side Access Door)
Upgrade to 36" Wide Side Access Door (From 32")
Upgrade to 48" Wide Side Access Door (From 32")
48"x72" Split Side Access Door(s)
Upgrade to 48"x72" Split Side Access Door(s) (From 32"x72" Side Access Door)
Upgrade to 78" Height Side Access Door (From 72"; Excludes Radius RV Door)
Upgrade to X-Wide 95" Rear Opening (Rear Ramp Only)
Diamond Plate Transition Flap (Ramp to Box)
Aluminum Starter Flap to Rear Ramp
Add (2) 2x4 Wingstock Stringers to Rear Ramp (CH Grade Only; Maximum Weight Capacity 5000#)
Generator Door (30"x30") w/Salem Vent & Paddle Handle (Lockable)
Generator Door (36"x36") w/Salem Vent & Paddle Handle (Lockable)
Generator Compartment (30"Hx30"Wx24"D; Door Optional)
Generator Compartment (36"Hx36"Wx24"D; Door Optional)
Slide-Out Generator Tray
Upgrade to Insulated Generator Compartment (Requires Generator Compartment)
Under-Gooseneck Generator Compartment w/Door & Vent (33"Wx20"Hx22"D)
Under-Gooseneck Storage Compartment w/Flip-Up Door (60"Wx28"Hx24"D)

CONSTRUCTION OPTIONS (CONTINUED)

Upgrade Trailer Sub Frame to 2"x8" (From 2"x6"; PBF)
Reverse Beavertail Construction (7' & Wider)
Upgrade to 3" Adjustable 2-5/16" A-Frame Coupler
Upgrade to 8000# Pedestal Jack (From Wheel or Center Jack)
Upgrade to 10000# Pedestal Jack (From Wheel or Center Jack)
Upgrade to Electric Landing Gear (Gooseneck Models Only)
Upgrade to Big Foot Hydraulic Landing Gear (Gooseneck Models Only; Single Leg)
Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF)
Upgrade to Trussed Roof System (Not Compatible w/Radius)
Upgrade to .080" Wall Studs
Upgrade Wall Studs to 2"x2" (PBF)
Upgrade Ceiling Studs to 2"x2" (PBF)
Walk On Roof (Reinforced; PBF)
Heavy Duty Winch Mount (Winch Not Included)
Rear Canopy Loading Light System – 2013 Version (Not Available w/Radius Roof)
Rear Canopy Loading Light System – 2020 Version (Not Available w/Radius Roof)

DOORS, RAMPS, & COMPARTMENTS (CONTINUED)

Propane Compartment (30"Hx30"Wx24") w/Vented Non-Locking Door
Propane Compartment (36"Hx36"Wx24") w/Vented Non-Locking Door
14"x14" Fuel Door w/Paddle Handle
24"x24" Fuel Door w/Paddle Handle
4'x4' Escape Door (Driver's Side Over Wheel Well)
Elite Escape Door (6'W x 8'L Fold-Up Door w/Removable Fender; 9'L w/Spread Axle Upgrade)
30"x30" Hatch Door
RV-Style Pull-Out Step (Steel)
Aluminum Fold-Down Step
Powder Coated Aluminum Flip-Down Step
Upgrade to Powder Coated Aluminum Flip-Down Step (From Standard Step)
Aluminum Pull-Out Step
Aluminum Loop Step (Stationary)
Aluminum Grab Handle For Side Access Door
Keyed Locking Hasps for Rear Ramp
Upgrade to L-Latches/Freezer Latches (Per Ramp; Replaces Locking Bars; For Premium Models w/Car Hauler Grade Rear Ramp Only)
Locking Bar for Side Access Door
Keyed Locking Hasps for Side Door Locking Bar
Upgrade to Premium Aluminum Ramp Hinges (Set; From S/S Strap Hinges; Premium CH/GN Models)
Upgrade to Full Piano Hinge For Rear Ramp



ALL SPORT & GOOSENECK POPULAR OPTIONS CONTINUED

DOORS, RAMPS, & COMPARTMENTS CONTINUED

DOORS, RAMPS, & COMPARTMENTS
Upgrade to Full Piano Hinge For Side Access Door
Rear Door Air Curtain
Pull-Down Screen for Rear Door Opening

DOORS, RAMPS, & COMPARTMENTS (CONTINUED)
Pop-Out Tent Bed (60"H x 80"L Rough Opening)
Keyless Entry System (For Side Access Door)
Upgrade to 6' Extruded Aluminum Bi-Fold Ramp Extension (Car Hauler Models)

EXTERIOR OPTIONS

EXTERIOR OPTIONS
.040" Skin Upgrade (Black, White, & Silver Only)
.050" Skin Upgrade (Black & White Only)
Anodized Aluminum Side & Rear Trim Panel (12"; PBF)
Aluminum Diamond Plate Side & Rear Trim Panel (12"; PBF)
Anodized Aluminum Side & Rear Trim Panel (24"; PBF)
Aluminum Diamond Plate Side & Rear Trim Panel (24"; PBF)
Upgrade to Larger 7" Bottom Trim (PBF)
Upgrade to 36" Stone Guard (From 24")

EXTERIOR OPTIONS (CONTINUED)
Upgrade to 48" Stone Guard (From 24")
Two-Tone Color Package w/No Anodized Divider
Two-Tone Color Package w/6" Anodized Divider
Two-Tone Color Package w/12" Anodized Divider
Two-Tone Color Package w/24" Anodized Divider
Upgrade to Anodized Nose Cone
Add Red & White DOT Tape to Trailer (PLF; Required on Any Trailer Over 10,000lb. GVWR)
Upgrade to Translucent Roofing (From Mill-Finish Aluminum; PBF)

INTERIOR OPTIONS

INTERIOR OPTIONS
White .030" Aluminum Side Walls (Bonded)
White .030" Aluminum Side Walls (Screwed)
White .030" Aluminum Ceiling (Bonded)
White .030" Aluminum Ceiling (Screwed)
Upgrade to 3/8" Water Resistant Walls (From White Luan Walls; PBF)
Upgrade to 3/8" Plywood Walls (From White Luan Walls; PBF)
Upgrade to 1/2" Plywood Walls (PBF)
3/4" Foam Insulation (Side Walls; PBF)
3/4" Foam Insulation (Ceiling; Requires Liner)
2" Foam Insulation (Ceiling Only; PBF)
Upgrade to 2" Foam Insulation (Ceiling Only; PBF)
.030" Aluminum Cove (All Colors)

INTERIOR OPTIONS (CONTINUED)
Anodized Roof Coves
Anodized Spring Cover
Diamond Plate Spring Cover
.030" Aluminum Spring Assist Cover for Rear Ramp Door
Partition Wall w/32" Access Door
Diamond Plate Kick Plate (6")
Diamond Plate Kick Plate (12")
Diamond Plate Kick Plate (24")
Water Resistant Kick Plate (12")
Extruded Aluminum Kick Plate (6")
Carpet on Walls (Charcoal; 3' Up Walls; 4' For V-Nose)
Upgrade to Black TPO Coin Walls (3' Up Walls; 4' For V-Nose; PLF)

FLOORING

FLOORING
Upgrade to 3/4" Pressure Treated Plywood (From 3/4" Water Resistant Decking)
Upgrade to 3/4" Quad Ply Decking (Non-Skid Surface, FRP Backer; PBF)
Additional Layer of 3/4" Water Resistant Decking
Upgrade to Extruded Aluminum Floor (Charge for Ramp & V-Nose; PLF)
Aluminum Diamond Plate Floor Overlay (.045"; PLF)
Upgrade to Black Marble Vinyl Flooring (PLF)
Upgrade to Checkerboard Vinyl Flooring (Black & White; PLF)

FLOORING (CONTINUED)
Painted Epoxy Floor Covering (PBF)
Upgrade to Rubber Coin Flooring (Black; PLF)
Upgrade to TPO Coin Flooring (Black)
Upgrade to Charcoal Carpet Flooring (PLF)
Upgrade to 3/4" Foam Insulated Floor
Aluminum Diamond Plate Runner (12" Single Row; .056"; PLF)
Aluminum Diamond Plate Runner (12" Double Rows; .056"; PLF)



ALL SPORT & GOOSENECK POPULAR OPTIONS CONTINUED

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 15" 225 Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 15" 225 Black Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 15" 225 Flat Black Mod (Radial; From 15" 225 Silver Mod Radial Wheels; Special Order)
Upgrade to 16" Silver Mod Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 16" Aluminum Wheels (Radial; From 15" 225 Aluminum)
Upgrade to 16" Black Aluminum Wheels (Radial; From 15" 225 Aluminum)
Upgrade to 16" G-Rated Silver Mod Wheels (Radial; From 16" Silver Mod Radial)
Upgrade to 16" Aluminum Wheels (Radial; From 16" Silver Mod Wheels)
Upgrade to 16" Black Aluminum Wheels (Radial; From 16" Silver Mod Wheels)
Upgrade to 17.5" Aluminum Wheels (Radial; From 17.5" Silver Mod Wheels)
Upgrade to Black Aluminum Rims (From Aluminum Same Size)
Spare 15" Silver Mod Wheel w/225/75R15 Tire (6-Lug)
Spare 15" Aluminum Wheel w/225/75R15 Tire (6-Lug)

AXLES

AXLES
Upgrade to 3-3K Torsion Braked Axles (From 2-3K Braked)
Upgrade to 2-5K Torsion Braked Axles (From 2-3K Torsion Braked; Peak Value Only; Requires Frame Upgrade)
Upgrade to 2-6K Torsion Braked Axles (From 2-5K Torsion Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)
Upgrade to 2-7K Torsion Braked Axles (From 2-5K Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)
Upgrade to 2-8K Torsion Braked Axles (From 2-5K Braked; Includes 215/75R/17.5 Tire Upgrade; 2x8 Frame Upgrade Required)
Upgrade to 3-3K Torsion Braked Axles (From 2-5K Torsion Axles)
Upgrade to 3-5K Torsion Braked Axles (From 2-5K Braked; 2x8 Frame Upgrade Required)
Upgrade to 2-7K Torsion Braked Axles (From 2-6K Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)
Upgrade to 2-8K Torsion Braked Axles (From 2-7K Braked; Includes 215/75R/17.5 Tire Upgrade)

TIE-DOWNS

TIE-DOWNS
Light Duty Surface-Mounted D-Ring (Installed)
Light Duty Sliding D-Ring (For Recessed Slide Track; Installed)
Upgrade to Powder Coated Sliding D-Ring (From Existing Sliding D-Ring)
Heavy-Duty Recessed 5000# D-Rings w/Backing Plate
Heavy-Duty Recessed 6000# Swivel D-Rings w/Backing Plate (Zinc)
Heavy-Duty Recessed 6000# Swivel D-Rings w/Backing Plate (Stainless Steel)
Recessed Flip-Up Motorcycle Wheel Chock w/(4) Surface-Mounted D-Rings
Recessed Flip-Up Motorcycle Wheel Chock w/(4) Recessed Heavy Duty D-Rings
Recessed Flip-Up Motorcycle Wheel Chock
Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Surface-Mounted D-Rings

TIRE/WHEEL ASSEMBLIES & ACCESSORIES (CONTINUED)
Spare 15" Black Aluminum Wheel w/225/75R15 Tire
Spare 16" Silver Mod Wheel w/235/80R16 Tire
Spare 16" Aluminum Wheel w/235/80R16 Tire
Spare 16" Black Aluminum Wheel w/235/80R16 Tire
Spare 16" G-Rated Silver Mod Wheel w/235/80R16 Tire (14 Ply Rating)
Spare 17.5" Silver Mod Wheel w/215/75R17.5 Tire
Spare 17.5" Aluminum Wheel w/215/75R17.5 Tire
2024 Interior Elevated Spare Tire Mount (Universal Fitment)
Exterior Elevated Spare Tire Mount (Diamond Plate; Exterior Wall)
Spare Tire Mount (Interior; Floor Level)
Deluxe Recessed Spare Tire Well (Diamond Plate w/Hatch Cover)
Deluxe 8' Tire Rack (Foldable)
Integrated Heavy Duty Tire Rack

AXLES (CONTINUED)
Upgrade to 3-7K Torsion Braked Axles (From 2-7K Braked)
Upgrade to 2-7K Torsion Braked Axles (From 3-5K Braked)
Upgrade to 3-6K Torsion Braked Axles (From 3-5K Braked; Includes 16" Tire Upgrade)
Upgrade to 3-7K Torsion Braked Axles (From 3-5K Braked; Includes 16" Tire Upgrade)
Upgrade to 3-8K Torsion Braked Axles (From 3-5K Braked; Includes 215/75R/17.5 Tire Upgrade)
Upgrade to 2-3K Hydraulic Braked Axles (From 2-3K Torsion Braked)
Spread Axle Upgrade w/Tapered Fender Skirting (8' Wide)
Upgrade to Surge Braking System (Not Available w/Gooseneck Models)
Upgrade to Zero Degree Axle(s)
Upgrade to 22.5 Degree Down Axle(s)
Upgrade to 45 Degree Down Axle(s)
Upgrade to Galvanized Torsion Axle (Minimum 4 Week Lead Time)

TIE-DOWNS (CONTINUED)
Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Heavy Duty D-Rings
Single Stainless Steel Tube Style Wheel Chock for Single Piece of Slide Track (Installed)
Stainless Steel Tube Style Wheel Chock
E-Track, Surface Mounted (Floor)
E-Track, Surface Mounted (Wall)
E-Track, HD Recessed w/Backing Plate (Floor)
E-Track, HD Recessed w/Backing Plate (Walls)
E-Track (Aluminum), Surface Mounted (Wall)
E-Track (Aluminum), HD Recessed w/Backing Plate (Floor)
E-Track (Aluminum), HD Recessed w/Backing Plate (Walls)



ALL SPORT & GOOSENECK POPULAR OPTIONS CONTINUED

TIE-DOWNS CONTINUED

TIE-DOWNS
Airline Track (Aluminum), Surface Mounted (Floor)
Airline Track (Aluminum), Surface Mounted (Wall)
Airline Track (Aluminum), Recessed in Floor (PLF)
Airline Track (Aluminum), Recessed in Wall (PLF)

TIE-DOWNS (CONTINUED)
Recessed Slide Track (Track Only; D-Rings Sold Separately)
Recessed Slide Track: (2) Rows w/(4) Sliding D-Rings
Powder Coated Slide Track Upgrade (For Existing Track; PBF)

12V LIGHTING & ELECTRICAL

12V LIGHTING & ELECTRICAL
Add LED Backup Lights (Pair; Installed)
Additional LED Stop/Turn/Tail Lights (Pair; Installed)
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)
Upgrade to Additional LED Marker Lights Bullets
Diamond Plate Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)
Anodized Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)
12V LED Load Lights (Double Lights w/Single Switch; 950 Lumens)
12V LED Load Light (Single Light w/Switch; 950 Lumens)
Recessed LED Exterior Load Light Package For Side of Trailer: (1) Light w/Switch & Housing (950 Lumens)
12V LED Porch Light w/Wall Switch
K60 LED Exterior Scene Light Package: (1) 12V Wall Switch w/(2) K60 Scene Lights
Mid-Ship Turn Signals (For Tandem Fenders Only; Pair)
Angled Back Up Lights (Mounts on Side of Trailer)
Upgrade to 12V Electric Pedestal Jack w/Battery & Box (Installed)
Upgrade to 12V Electric Pedestal Jack w/o Battery
12V Power Jack (Cigarette Lighter Plug)
Upgrade to LED Economy Dome Light (From Incandescent; 460 Lumens)
Additional 12V LED Dome Light (460 Lumens)
12 Volt Wall Switch

12V LIGHTING & ELECTRICAL (CONTINUED)
12 Volt Wall Switch (3-Way)
Upgrade to 12 Volt (3-Way) Wall Switch
LED Puck Light Package: (8) Recessed Lights & Wall Switch (Requires Ceiling Liner)
Additional Recessed LED Puck Light
LED Puck Light Package Under Overhead Cabinet: (2) Round LED Flush Mount Dome Lights, (1) 12V Wall Switch
18" 12V LED Light (Requires Ceiling Liner)
Upgrade Interior Dome Light to 12V 18" LED Light
Upgrade to (3) 18" 12V LED Light From (2) 4' LED Wraparound (Requires Ceiling)
Trickle Charger for Battery
Deep Cycle Marine Battery & Box (Wired)
12V USB-C & USB-A Dual Recessed Receptacle
LED Interior Strip Light w/Housing Package (Per Foot, Per Section)
Upgrade to Permaseal Wire Connectors
Upgrade Premium Light Package (LED Strip Lights w/Integrated Backup Lights, Marker Lights w/Clear Lenses)
Upgrade to Premium Light Package (LED Strip Lights w/No Backup Lights, Marker Lights w/Clear Lenses)
Wireless Backup Camera System w/7" LCD Screen
Add LED 6" Oval Alternating Flashing Safety Lights (Pair; Orange) w/Exterior Toggle Switch (Hardwired Into Auxiliary; 7-Way Plug Required)

110V LIGHTING & ELECTRICAL

110V LIGHTING & ELECTRICAL
110V Power Package #1: (1) 15 AMP Motorbase Plug, (1) Wall Switch, (1) Receptacle, (1) 4' LED Wraparound Light (No Additions Available w/This Package)
110V Power Package #2: (1) 30 AMP Breaker, (1) 25' Shore Line, (2) 3-Way Wall Switches, (1) Standard Wall Receptacle, (1) GFCI Wall Receptacle, (2) 4' LED Wraparound Lights
110V Power Package #3: (1) 30 AMP Panel, (1) Wall Switch, (4) Standard Wall Receptacles, (1) GFCI Receptacle, (4) 4' LED Wraparound Lights, (1) Brace & Wire Stub for A/C Unit
110V Power Package #4: (1) 15 AMP Motorbase Plug, (2) Wall Receptacles
110V Power Package #5: (1) 60A Breaker Panel w/60A Converter & 50A Motorbase Plug, (2) 3-Way Wall Switches, (1) Standard Wall Receptacle, (1) USB Wall Receptacle, (1) GFCI Wall Receptacle, (2) 4' LED Wraparound Lights, 12V Deep Cycle Battery & Box
15A Motorbase Plug
30A Motorbase Plug (Replaces Shoreline; 110V Package Required)
30A Power Converter (110V Pkg #2 Required)

110V LIGHTING & ELECTRICAL (CONTINUED)
30A Power Cord 25' Long (For Motorbase Plug)
30A Generator Line Switch
Upgrade to 50 AMP Breaker Box (110V Pkg #2 Required)
50A Power Cord 25' Long (For Motorbase Plug)
60A Power Converter (110V Package Required)
110 Volt Wall Receptacle (Installed; 110V Pkg Required)
110 Volt Combo USB/Wall Outlet Receptacle (Installed; 110V Pkg #2 Required)
110 Volt Wall Switch (3-Way; 110V Pkg #2 Required)
Interior GFCI Wall Receptacle (Requires 30A Package)
Exterior GFCI Wall Receptacle (Requires 30A Package)
4' LED Wraparound Light (110V Pkg Required)



ALL SPORT & GOOSENECK POPULAR OPTIONS CONTINUED

110V LIGHTING & ELECTRICAL CONTINUED

110V LIGHTING & ELECTRICAL
500W Swing-Mount Quartz Light
13,500 BTU Roof Mounted Air Conditioner (110V Pkg #2 Required)
Heat Strip for A/C Unit

110V LIGHTING & ELECTRICAL (CONTINUED)

Brace & Stub Wire for Future AC Installation (12 Gauge Wire & 20A Breaker; 110V Pkg #2 Required)
Heater; Electric: CADET Com-Pak Plus White Wall Fan, 1500 Watt (110V Pkg #2 Required)

CABINETS

CABINETS
4' Straight Wall Base Cabinet, 2-Door (48"W x 24"D x 37"H)
5' Straight Wall Base Cabinet, 2-Door
5' Angled Base Cabinet (Snow Trailer V-Nose)
6' Straight Wall Base Cabinet, 2-Door (72"W x 24"D x 37"H)
8' Straight Wall Base Cabinet, 2-Door (96"W x 24"D x 37"H)
8' Straight Wall Base Cabinet, 4-Door
Upgrade Base Cabinet to 28" L-Shape Extension
Overhead Cabinet, 1 Flip-Up Door (48"W x 13"D x 18"H)
Overhead Cabinet, 2-Door (48"W x 13"D x 18"H)
Overhead Premium Cabinet, 1 Flip-Up Door (48"W x 13"D x 18"H)
48" Economy Overhead Furnace Cabinet, 1 Flip-Up Door (Furnace Not Included)
Overhead Cabinet, 1 Door (62"W x 12"D x 18"H)
60" Deluxe Overhead Furnace Cabinet, 1 Flip-Up Door (Furnace Not Included)
Deluxe Overhead Cabinet, 4-Door (72"W x 13"D x 18"H)
Deluxe Overhead Cabinet, 4-Door (96"W x 13"D x 18"H)
Overhead Cabinet, 2 Flip-Up Doors (96"W x 13"D x 18"H)
Wheel Well Cabinet 2 Door w/Shelving (72"W x 6 3/4"D x 62"H)
96" Premium Overhead Split Cabinet w/Center Shelf, 2 Flip-Up Doors (96"W x 18"D x 18"H)
Premium 50" Helmet Cabinet w/Hooks

CABINETS (CONTINUED)

24" Wardrobe Cabinet w/(1) Full-Height Door, (1) Shelf, (1) Clothing Rod (24"W x 24"D x 72"H)
36" Wardrobe Cabinet w/(1) Full-Height Door, (1) Shelf, (1) Clothing Rod (36"W x 24"D x 76"H)
44" Deluxe Wardrobe Cabinet (Ducted; Requires Furnace Package)
Premium Wall-Mounted Coat Hanger (47.5", 10 Hooks)
Premium Ceiling-Mounted Coat Hanger (38", 22 Hooks)
48" Deluxe Boot Box w/Padded Top (Ducted; Requires Furnace Package & Vertical Duct; Not Available for Gooseneck Models)
6' Horizontal Vented Duct (Angled End, 5 Vents)
8' Horizontal Vented Duct (8'Lx5"x5" w/5 Vents)
Vertical Corner Duct (Requires Furnace Package)
Add Heat Duct (PLF)
Clothing Rod for Overhead Cabinets (48" Cabinets Only)
4' Coat Rack Package: 47' Slide Track w/(6) Adjustable Hooks
18" Shelving w/Angled Gussets (PLF; Per Tier)
Upgrade to Formica Countertop (Base Cabinet Sold Separately)
Standard Tool Crib Package: (1) 72x24 Horizontal Access Door (Over Fender, w/Retainer Chains); (2) 38x22 Vertical Access Doors (Ahead/Behind Fender); Adjustable Shelf Brackets in Vertical Cabinets; 3/8" Water Resistant Liner (Interior & Exterior of Box Frame); 19"D x 42"H x 128"L Box Frame Inside Trailer; Hinged Lid (3 Sections)

VENTS & WINDOWS

VENTS & WINDOWS
14"x14" Manual Roof Vent
12V Power Roof Vent
110V Power Roof Vent (Requires 30A Package)
Fantastic Fan/Vent: Dometic 22-0462 (Requires 30A Package)
Maxx-Air Roof Vent Cover
Directional Salem Vent Kit (Plastic; Pair)

VENTS & WINDOWS (CONTINUED)

Two-Way Directional Salem Vent Kit (Aluminum; Pair)
18"x24" Horizontal Radius Sliding Window w/Screen
18"x24" Vertical Radius Sliding Window w/Screen
24"x36" Radius Sliding Window w/Screen
24"x36" Egress Sliding Window (Tinted w/Screen)

MISC. OPTIONS & ACCESSORIES

MISC. OPTIONS & ACCESSORIES
Fold-Down Sofa/Sleeper
Fold-Down Bunk Beds
HappiJac Bed System w/(1) Queen Size Mattress
Fold Down Bench (12"x48"; Work or Seating)

MISC. OPTIONS & ACCESSORIES (CONTINUED)

Fold-Down Padded Bench (48"L; Vertical Design)
Premium 50" Fold-Up Padded Bench
Premium 36" Fold-Up Work Bench w/Integrated Tool Storage
Premium Cup Holder



ALL SPORT & GOOSENECK POPULAR OPTIONS CONTINUED

MISC. OPTIONS & ACCESSORIES CONTINUED

MISC. OPTIONS & ACCESSORIES
Premium (2) Race Fuel Holder
Premium (3) Race Fuel Holder
Basic Stereo Package: Includes (4) Boss Speakers
Stairs to the Gooseneck Area (24"W x 32"D)
30 Gallon Fuel Transfer System: Includes 30 Gallon Tank, Fill Nozzle & Hose, Control Panel w/Gauge (Requires Marine Grade Battery)
20# Propane Tank w/Regulator (Tongue-Mounted Holder Included)
30# Propane Tank w/Regulator (Propane Compartment Required)
Upgrade to 30# Propane Tank (From 20# Propane Tank w/Heavy Duty Mount)
Upgrade to Underslung Propane Tank (Requires Package Including Standard Propane Tank; Deckover Models Only)

SPECIAL PACKAGES

SPECIAL PACKAGES
Exterior Powder Coat Package (All Sport): Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim
Exterior Powder Coat Package (Gooseneck): Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim
Basic Heater Package (All Sport): 20# Propane Tank (Tongue Mounted), Insulated Walls & Ceiling, 40K BTU Furnace, Safety Kit, Marine Grade Battery & Box, 48" Furnace Cabinet
Deluxe Floor Drain System (Full Width Slot, Exterior Clean Out)

MISC. OPTIONS & ACCESSORIES (CONTINUED)
Stabilizer Jacks
Stabilizer Jacks (Interior Rear; Drop Down; Installed; Pair)
Bogey/Caster Wheels (Installed; Pair)
Scissor Jacks (Camper Style; Pair)
Add Exterior Marine Grade Speakers to Stereo System (Pair)
Add 3-Bay Stainless Steel Sink (Sink Package Required)
2-Burner Propane Range (Installed In Cabinet Top; Base Cabinet & Propane Tank Required)
5.0 Cu.Ft. Refrigerator, 24"x26" (Recessed in Cabinet; 110V Package w/12V Battery or Propane w/Safety Kit & 12V Battery Required)
1100W Microwave (1.2 Cu.Ft.; Recessed in Cabinet)

SPECIAL PACKAGES (CONTINUED)
Boondocker Package (Snow): Upgrade to Quad-Ply Flooring, Wraparound Front Ramp w/ Spring Assist (72" Opening), & 6" DP Kick Plate
Ducted Cabinet Package (Upgrade for EWP): 4' Duct, 62" Economy Cabinet
Kicker Stereo Package: (6) Speakers, AMP & Subwoofer, Clarion Face Unit w/Bluetooth Capabilities
Mid-Level Stereo Package: (4) Speakers, AMP & Subwoofer, Pioneer AM/FM/CD Player w/Bluetooth (Battery Sold Separately)



RAMP CAPACITY BY MODEL

Ramp Type	Applicable Models	Capacity
Utility Trailer Rear Ramp (Fold-Down)	SSR (All Sizes), RA 2.0 (All Sizes), RW 2.0 (All Sizes), FA 2.0 (All Sizes), Landscape 2.0 (All Sizes)	750#
Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)	SSR (Optional, All Sizes), RA 2.0 (Optional, All Sizes), RW 2.0 (Optional, All Sizes), FA 2.0 (Optional, All Sizes), Landscape 2.0 (Optional, All Sizes)	750#
Deckover Equipment Trailer Ramps (Stow)	(All Sizes)	4000# (PAIR)
Deckover Equipment Trailer Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
UHD Ramps (Fold-Down)	(All Sizes)	4000# (PAIR)
UHD Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Dump Trailers (Side-Stow, Optional)	(All Sizes)	4000# (PAIR)
ATV (83" Wide, Side-Stow)	(All Sizes)	1200# (PAIR)
ATV (84" / 98" Wide, Side-Stow)	(All Sizes)	750# (PAIR)
Open Motorcycle (Rear-Stow)	(All Sizes)	1200#
Slingshot Rear Ramp (Fold-Down, Bi-Fold)	U-SLINGSHOT	1500#
Open Car Hauler 2.0 (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler 2.0 10K (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler Standard (Stow)	(All Sizes)	4000# (PAIR)
Open Snow (Rear-Stow)	SnoPro Drive On/Off	750#
Sport Deck (Rear-Stow, Telescoping)	SSD	1000#
Enclosed Cargo (4' - 6' Wide Trailers)	(All Sizes)	1500#
Enclosed Cargo (7' - 7.5' Wide Trailers)	(All Sizes)	1500#
Enclosed Cargo (8.5' Wide Trailers, Premium)	(All Sizes)	1500#
Enclosed Motorcycle (7' Wide Trailers)	(All Sizes)	1500#
Enclosed Car Hauler (8.5' Wide Trailers)	(All Sizes)	4000#
Enclosed Gooseneck (8.5' Wide Trailers, Rear)	(All Sizes)	4000#
Enclosed Gooseneck (8.5' Trailers, Side, Optional)	(All Sizes)	1200#
Enclosed Snowmobile (7', 7.5' and 101" Wide, Rear)	(All Sizes)	1500#
Enclosed Snowmobile (7', 7.5' and 101" Wide, Front)	(All Sizes)	1200#
Enclosed Snowmobile (Hybrid, Rear)	(All Sizes)	1500#