

# OPEN ON/OFF SNOW TRAILERS

12' – 24'



12' – 24'

## STANDARD FEATURES

- > All-Aluminum Construction
- > 24" O/C Crossmembers
- > Torsion Ride Suspension
- > 1/2" Marine Tech Decking
- > 4' Stowaway Ramp w/Super Guides
- > Recessed LED Marker Lights
- > 1200# Wheel Jack
- > Straight Pull w/Underwings
- > Full Length Slide Track Tie-Down System w/(1) Sliding D-Ring & (1) Ski Tie-Down Bar Per Machine
- > 6000# Straight Coupler w/2" Ball
- > (2) 5000# Safety Chains
- > 4-Year Limited Warranty

## STANDARD SPECIFICATIONS

| TRAILER MODEL               | 12'                    | 14'                | 14'                   | 16'                |
|-----------------------------|------------------------|--------------------|-----------------------|--------------------|
| Model Number                | 101"x12'               | SNOPRO14DRVONOFFLV | SNOPRO14DRVONOFFLV-BR | SNOPRO16DRVONOFFLV |
| Deck (WxL)                  | 101"x18'               | 101"x14'           | 101"x14'              | 101"x16'           |
| Overall (WxL)               | 2"x3"                  | 101"x20'           | 101"x20'              | 101"x22'           |
| Subframe Tubing             | 25"                    | 2"x4"              | 2"x4"                 | 2"x4"              |
| Deck Height                 | 1-3500#, Idler         | 27"                | 27"                   | 27"                |
| Axle(s) - Qty/Rating        | 12" E-Rated Silver Mod | 2-2200#, Idler     | 2-2200#, Braked       | 2-2200#, Braked    |
| Wheels                      | ST145R12E              | 13" Silver Mod     | 13" Silver Mod        | 13" Silver Mod     |
| Tires                       | 2990#                  | 175/80R13          | 175/80R13             | 175/80R13          |
| GVWR                        | 575#                   | 2990#              | 4400#                 | 4400#              |
| Curb Weight                 | 1625#                  | 815#               | 815#                  | 870#               |
| Payload                     | 22"                    | 2175#              | 3585#                 | 3530#              |
| Hitch Height                | 4-Way Flat             | 22"                | 22"                   | 22"                |
| Power Connection            | Standard               | 4-Way Flat         | 7-Way Round           | 7-Way Round        |
| Rear Edge Loading Protector | Standard               | Standard           | Standard              | Standard           |

| TRAILER MODEL               | 18'                | 20'                | 22'                | 24'                |
|-----------------------------|--------------------|--------------------|--------------------|--------------------|
| Model Number                | SNOPRO18DRVONOFFLV | SNOPRO20DRVONOFFLV | SNOPRO22DRVONOFFLV | SNOPRO24DRVONOFFLV |
| Deck (WxL)                  | 101"x18'           | 101"x20'           | 101"x22'           | 101"x24'           |
| Overall (WxL)               | 101"x24'           | 101"x24'           | 101"x26'           | 101"x28'           |
| Subframe Tubing             | 2"x5"              | 2"x5"              | 2"x5"              | 2"x5"              |
| Deck Height                 | 27"                | 27"                | 27"                | 27"                |
| Axle(s) - Qty/Rating        | 2-2200#, Braked    | 2-2200#, Braked    | 2-2200#, Braked    | 2-2200#, Braked    |
| Wheels                      | 13" Silver Mod     | 13" Silver Mod     | 13" Silver Mod     | 15" Silver Mod     |
| Tires                       | 175/80R13          | 175/80R13          | 175/80R13          | 205/75R15          |
| GVWR                        | 4400#              | 4400#              | 4400#              | 4400#              |
| Curb Weight                 | TBD                | 1120#              | 1120#              | 1120#              |
| Payload                     | TBD                | 3280#              | 3280#              | 3280#              |
| Hitch Height                | 22"                | 22"                | 22"                | 22"                |
| Power Connection            | 7-Way Round        | 7-Way Round        | 7-Way Round        | 7-Way Round        |
| Rear Edge Loading Protector | Standard           | Standard           | Standard           | Standard           |



# OPEN ON/OFF

12' – 24' CONTINUED

**12' – 24'** *Continued*

## OPTIONS & ACCESSORIES

### TIRE/WHEEL ASSEMBLIES & ACCESSORIES

Upgrade to 13" Tires (From 12" Tires)

Upgrade to 15" Tires (From 12" Tires; Includes Drop Hitch)

Upgrade to 15" Tires (From 13" Tires)

Upgrade to 15" Aluminum Rims

Spare 12" Silver Mod

Spare 13" Silver Mod

Spare 15" Silver Mod

Tongue Mounted Spare Mount

### FLOORING OPTIONS

Upgrade to 5/8" Marine Grade Decking

### ACCESSORIES

Deluxe Drive On/Off Salt Shield

Ski Tie-Down Bars (Replaces Sliding D-Rings)

Paddle Grabbers (Set of 6)



# RAMP CAPACITY BY MODEL

| Ramp Type   | Applicable Models   | Capacity     |
|---|---|--------------|
| Utility Trailer Rear Ramp (Fold-Down)               | SSR (All Sizes), RA 2.0 (All Sizes), RW 2.0 (All Sizes),<br>FA 2.0 (All Sizes), Landscape 2.0 (All Sizes)   | 750#         |
| Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)      | SSR (Optional, All Sizes), RA 2.0 (Optional, All Sizes), RW 2.0 (Optional, All Sizes),<br>FA 2.0 (Optional, All Sizes), Landscape 2.0 (Optional, All Sizes) | 750#         |
| Deckover Equipment Trailer Ramps (Stow)             | (All Sizes)   | 4000# (PAIR) |
| Deckover Equipment Trailer Ramps 14K (Fold-Down)    | (All Sizes)   | 5000# (PAIR) |
| UHD Ramps (Fold-Down)                               | (All Sizes)   | 4000# (PAIR) |
| UHD Ramps 14K (Fold-Down)                           | (All Sizes)   | 5000# (PAIR) |
| Dump Trailers (Side-Stow, Optional)                 | (All Sizes)   | 4000# (PAIR) |
| ATV (83" Wide, Side-Stow)                           | (All Sizes)   | 1200# (PAIR) |
| ATV (84" / 98" Wide, Side-Stow)                     | (All Sizes)   | 750# (PAIR)  |
| Open Motorcycle (Rear-Stow)                         | (All Sizes)   | 1200#        |
| Slingshot Rear Ramp (Fold-Down, Bi-Fold)            | U-SLINGSHOT   | 1500#        |
| Open Car Hauler 2.0 (Stow)                          | (All Sizes)   | 4000# (PAIR) |
| Open Car Hauler 2.0 10K (Stow)                      | (All Sizes)   | 4000# (PAIR) |
| Open Car Hauler Standard (Stow)                     | (All Sizes)   | 4000# (PAIR) |
| Open Snow (Rear-Stow)                               | SnoPro Drive On/Off   | 750#         |
| Sport Deck (Rear-Stow, Telescoping)                 | SSD   | 1000#        |
| Enclosed Cargo (4' - 6' Wide Trailers)              | (All Sizes)   | 1500#        |
| Enclosed Cargo (7' - 7.5' Wide Trailers)            | (All Sizes)   | 1500#        |
| Enclosed Cargo (8.5' Wide Trailers, Premium)        | (All Sizes)   | 1500#        |
| Enclosed Motorcycle (7' Wide Trailers)              | (All Sizes)   | 1500#        |
| Enclosed Car Hauler (8.5' Wide Trailers)            | (All Sizes)   | 4000#        |
| Enclosed Gooseneck (8.5' Wide Trailers, Rear)       | (All Sizes)   | 4000#        |
| Enclosed Gooseneck (8.5' Trailers, Side, Optional)  | (All Sizes)   | 1200#        |
| Enclosed Snowmobile (7', 7.5' and 101" Wide, Rear)  | (All Sizes)   | 1500#        |
| Enclosed Snowmobile (7', 7.5' and 101" Wide, Front) | (All Sizes)   | 1200#        |
| Enclosed Snowmobile (Hybrid, Rear)                  | (All Sizes)   | 1500#        |